

Package ‘mmsample’

December 31, 2018

Title Multivariate Matched Sampling

Version 0.1

Author Eoin O’Connell [aut, cre]

Maintainer Eoin O’Connell <eoin.m.oconnell@gmail.com>

Description Subset a control group to match an intervention group on a set of features using multivariate matching and propensity score calipers. Based on methods in Rosenbaum and Rubin (1985).

License GPL-3

Encoding UTF-8

LazyData true

Imports Rcpp (>= 0.12.15), MASS (>= 7.3)

LinkingTo Rcpp, RcppArmadillo

NeedsCompilation yes

Repository CRAN

Date/Publication 2018-12-31 22:10:06 UTC

R topics documented:

mmatcher	1
ruler	3
Index	4

mmatcher *Multivariate Matching*

Description

Takes a data.frame (ds) and using the variables specified in x_vars, selects matches from the control group (group_var == 0) for members of the treatment group (group_var == 1) where possible. It returns a data.frame containing only rows which are part of a match.

The caliper width for propensity scores filters candidates prior to calculating distances, these can be widened to allow more but poorer matches. The distance measure can be one of "mahal" (default), "euclid", "norm_euclid" or "sad".

max_candidates allows the user to limit the number of matches within the calipers, effectively narrowing the calipers temporarily for treatment cases that have a large number of candidate matches.

The default seed argument ensures that given the exact same dataset, the function will return the same matches, this is because the algorithm is greedy and matches are assigned in random order.

n_per_match can be used to assign more than one control case to each treatment case and may be useful when the treatment group is small but the control group is large.

If loud is TRUE, progress updates and some summary information are printed to the console, otherwise the function prints nothing.

Usage

```
mmatcher(ds, group_var, x_vars = "_all_", id_var = NA, distance = "mahal",
         caliper = 0.10, seed = 12345, max_candidates = 1000, n_per_match = 1, loud = TRUE)
```

Arguments

ds	data.frame containing at least a group (0/1) variable and others to calculate distance
group_var	variable with 0=control and 1=treatment in ds
x_vars	list of variables to use in distance calculation
id_var	name of ID variable in ds (if present)
distance	one of "mahal", "euclid", "norm_euclid" or "sad"
caliper	proportionate width for propensity score calipers
seed	initial random seed value
max_candidates	maximum number of candidates within calipers per match
n_per_match	number of control cases to match to each treatment case
loud	print update bars and stats

Examples

```
treat_n <- 100
control_n <- 300
n <- treat_n + control_n
set.seed(123)

df <- data.frame(age = round(c(rnorm(control_n, 40, 15), rnorm(treat_n, 60, 15)), 2),
                        male = c(rbinom(control_n, 1, 0.4), rbinom(treat_n, 1, 0.6)),
                        grp = c(rep(0, control_n), rep(1, treat_n)))
```

```
df$age[df$age < 20 | df$age > 95] <- NA

matched_df <- mmsample::mmatcher(df, "grp", c("age", "male"))

tapply(df$age, df$grp, quantile, na.rm = TRUE)
tapply(matched_df$age, matched_df$grp, quantile, na.rm = TRUE)

table(df$male, df$grp)
table(matched_df$male, matched_df$grp)
```

ruler

Rcpp distance calculator

Description

Returns a vector of distances from all rows in vR to the single row uR using ciR as the inverted covariance matrix.

Usage

```
ruler(vR, uR, ciR)
```

Arguments

uR	a vector of length k containing a list of values for all features (k) for the target. Numeric and dense.
vR	an $n \times k$ matrix containing a matrix of values for all features (k) for all candidates (n). Numeric and dense.
ciR	a square $k \times k$ matrix containing the inverted covariance matrix for all features (k). Numeric and dense.

Examples

```
set.seed(123)
df <- data.frame(x = rpois(10, 20), y = rnorm(10, 50, 10))
cov_inv <- MASS::ginv(cov(df))
mmsample::ruler(as.matrix(df[2:10, ]), as.numeric(df[1, ]), cov_inv)
```

Index

mmatcher, 1

ruler, 3