

Package ‘IPEC’

October 12, 2022

Type Package

Title Root Mean Square Curvature Calculation

Version 1.0.3

Date 2022-05-21

Author Peijian Shi [aut, cre],
Peter M. Ridland [aut],
David A. Ratkowsky [aut],
Yang Li [aut]

Maintainer Peijian Shi <pjshi@njfu.edu.cn>

Imports numDeriv (>= 2016.8-1.1), MASS

Description Calculates the RMS intrinsic and parameter-effects curvatures of a nonlinear regression model. The curvatures are global measures of assessing whether a model/data set combination is close-to-linear or not. See Bates and Watts (1980) <[doi:10.1002/9780470316757](https://doi.org/10.1002/9780470316757)> and Ratkowsky and Reddy (2017) <[doi:10.1093/a](https://doi.org/10.1093/a)> tails.

Depends R (>= 4.2.0)

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2022-05-24 10:40:08 UTC

R topics documented:

aic	2
biasIPEC	4
bic	8
bootIPEC	10
crops	17
curvIPEC	19
derivIPEC	27
fitIPEC	29
IPEC	35

isom	42
leaves	43
shoots	44
skewIPEC	45

Index	50
--------------	-----------

aic *Akaike Information Criterion (AIC) Calculation Function*

Description

Calculates the AIC value(s) of the object(s) obtained from using the `fitIPEC` function.

Usage

```
aic( object, ... )
```

Arguments

object	A fitted model object for which there exists the sample size (n), estimate(s) of model parameter(s) (par), and residual sum of squares (RSS)
...	Optionally more fitted model objects

Details

$AIC = 2p - 2 \ln(L)$, where p represents the number of model parameter(s) plus 1 for the error, and $\ln(L)$ represents the maximum log-likelihood of the estimated model (Spiess and Neumeyer, 2010).

Value

There is an AIC value corresponding to one object, and there is a vector of AIC values corresponding to the multiple objects.

Note

With the sample size increasing, the number of model parameter(s) has a weaker influence on the value of AIC assuming that $\ln(RSS/n)$ is a constant.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Spiess, A-N and Neumeyer, N. (2010) An evaluation of R squared as an inadequate measure for nonlinear models in pharmacological and biochemical research: a Monte Carlo approach. *BMC Pharmacol.* 10, 6. doi:10.1186/14712210106

See Also

[bic](#), [AIC](#) in package **stats**, and [BIC](#) in package **stats**

Examples

```
#### Example #####
data(leaves)
attach(leaves)
# Choose a geographical population (see Table S1 in Wang et al. [2018] for details)
# Wang, P., Ratkowsky, D.A., Xiao, X., Yu, X., Su, J., Zhang, L. and Shi, P.
# (2018) Taylor's power law for leaf bilateral symmetry. Forests 9, 500. doi: 10.3390/f9080500
# 1: AJ; 2: HN; 3: HW; 4: HZ; 5: JD;
# 6: JS; 7: SC; 8: TC; 9: TT; 10: TX
ind <- 1
L <- Length[PopuCode == ind]
W <- Width[PopuCode == ind]
A <- Area[PopuCode == ind]

# Define a model  $y = a*(x1*x2)$ , where a is a parameter to be estimated
propor <- function(theta, x){
  a <- theta[1]
  x1 <- x[,1]
  x2 <- x[,2]
  a*x1*x2
}

# Define a model  $y = a*(x1^b)*(x2^c)$ , where a, b and c are parameters to be estimated
threepar <- function(theta, x){
  a <- theta[1]
  b <- theta[2]
  c <- theta[3]
  x1 <- x[,1]
  x2 <- x[,2]
  a*x1^b*x2^c
}

# Define a model  $y = a*x^b$ , where a and b are parameters to be estimated
twopar <- function(theta, x){
  a <- theta[1]
  b <- theta[2]
  a*x^b
}

A1 <- fitIPEC(propor, x=cbind(L, W), y=A, fig.opt=FALSE,
  ini.val=list(seq(0.1, 1.5, by=0.1)))
B1 <- curvIPEC(propor, theta=A1$par, x=cbind(L, W), y=A)
A2 <- fitIPEC(threepar, x=cbind(L, W), y=A, fig.opt=FALSE,
  ini.val=list(A1$par, seq(0.5, 1.5, by=0.1), seq(0.5, 1.5, by=0.1)))
B2 <- curvIPEC(threepar, theta=A2$par, x=cbind(L, W), y=A)
A3 <- fitIPEC(twopar, x=L, y=A, fig.opt=FALSE,
  ini.val=list(1, seq(0.5, 1.5, by=0.05)))
```

```

B3 <- curvIPEC(twopar, theta=A3$par, x=L, y=A)
A4 <- fitIPEC(twopar, x=W, y=A, fig.opt=FALSE,
             ini.val=list(1, seq(0.5, 1.5, by=0.05)))
B4 <- curvIPEC(twopar, theta=A4$par, x=W, y=A)
aic(A1, A2, A3, A4)
bic(A1, A2, A3, A4)

```

```
#####
```

biasIPEC

Bias Calculation Function

Description

Calculates the bias in the estimates of the parameters of a given nonlinear regression model.

Usage

```

biasIPEC(expr, theta, x, y, tol = .Machine$double.eps, method = "Richardson",
         method.args = list(eps = 1e-04, d = 0.11,
                             zero.tol = sqrt(.Machine$double.eps/7e-07), r = 6, v = 2,
                             show.details = FALSE), side = NULL)

```

Arguments

<code>expr</code>	A given nonlinear regression model
<code>theta</code>	A vector of parameters of the model
<code>x</code>	A vector or matrix of observations of independent variable(s)
<code>y</code>	A vector of observations of response variable
<code>tol</code>	The tolerance for detecting linear dependencies in the columns of a matrix for calculating its inverse. See the input argument of <code>tol</code> of the solve function in package base
<code>method</code>	It is the same as the input argument of <code>method</code> of the hessian function in package numDeriv
<code>method.args</code>	It is the same as the input argument of <code>method.args</code> of the hessian function in package numDeriv
<code>side</code>	It is the same as the input argument of <code>side</code> of the jacobian function in package numDeriv

Details

The defined model should have two input arguments: a parameter vector and an independent variable vector or matrix, e.g. `myfun <- function(P, x){...}`, where `P` represents the parameter vector and `x` represents the independent variable vector or matrix.

An absolute value of `percent.bias` (see below) in excess of **1%** appears to be a good rule of thumb for indicating nonlinear behavior (Ratkowsky 1983).

Value

bias The bias
 percent.bias The percentage bias that is equal to bias/estimate * 100%

Note

The current function can be applicable to nonlinear models with multiple independent variables.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Box, M.J. (1971) Bias in nonlinear estimation. *J. R. Statist. Soc., Ser. B* 33, 171–201. doi:10.1111/j.25176161.1971.tb00871.x
 Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach*. Marcel Dekker, New York.

See Also

[derivIPEC](#), [hessian](#) in package **numDeriv**, [jacobian](#) in package **numDeriv**

Examples

```
#### Example 1 #####
# The velocity of the reaction (counts/min^2) under different substrate concentrations
# in parts per million (ppm) (Page 269 of Bates and Watts 1988)
x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten (MM) model
MM <- function(theta, x){
  theta[1]*x / ( theta[2] + x )
}

par1 <- c(212.68490865, 0.06412421)
res3 <- biasIPEC(MM, theta=par1, x=x1, y=y1, tol= 1e-20)
res3
#####

#### Example 2 #####
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
# Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
# properties for describing temperature-dependent developmental rates of insects
# and mites. Ann. Entomol. Soc. Am. 110, 302-309.
# Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
```

```

# Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
# alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
        11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin)
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
par2 <- c(0.1382926, 33.4575663, 5.5841244, 38.8282021)

# To calculate bias
resu3 <- biasIPEC(myfun, theta=par2, x=x2, y=y2, tol= 1e-20)
resu3
#####

#### Example 3 #####
# Weight of cut grass data (Pattinson 1981)
# References:
# Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
# regression. J. Am. Stat. Assoc. 82, 221-230.
# Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
# New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
# http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
# Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
# Response to Herbage on Offer. unpublished M.Sc. thesis, University

```

```

#           of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184, 2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
  P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
  log( P2[3] ) + exp(P2[2] + P2[1]*x)
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
  theta1 <- P3[1]
  beta2 <- P3[2]
  beta3 <- P3[3]
  theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
  theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
  theta3 + theta2*exp(theta1*x)
}

ini.val3 <- c(-0.1, 2.5, 1)
r0      <- fitIPEC( MitA, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parA    <- r0$par
parA
r3      <- biasIPEC( MitA, theta=parA, x=x4, y=y4, tol=1e-20 )
r3

ini.val4 <- c(exp(-0.1), log(2.5), 1)
R0      <- fitIPEC( MitB, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parB    <- R0$par
parB
R3      <- biasIPEC( MitB, theta=parB, x=x4, y=y4, tol=1e-20 )
R3

ini.val6 <- c(-0.15, 2.52, 1.09)
RES0    <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
                  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parC    <- RES0$par
parC
RES3    <- biasIPEC(MitC, theta=parC, x=x4, y=y4, tol=1e-20)
RES3
#####

```

```

#### Example 4 #####
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
# 52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1 <- x[,1]
  x2 <- x[,2]
  x3 <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

par8 <- c(35.92831619, 0.07084811, 0.03772270, 0.16718384)
cons3 <- biasIPEC( isom.fun, theta=par8, x=X, y=Y, tol= 1e-20 )
cons3
#####

```

bic

Bayesian Information Criterion (BIC) Calculation Function

Description

Calculates the BIC value(s) of the object(s) obtained from using the [fitIPEC](#) function.

Usage

```
bic( object, ... )
```

Arguments

object	A fitted model object for which there exists the sample size (n), estimate(s) of model parameter(s) (par), and residual sum of squares (RSS)
...	Optionally more fitted model objects

Details

$BIC = p \ln(n) - 2 \ln(L)$, where p represents the number of model parameter(s) plus 1 for the error, n represents the sample size, and $\ln(L)$ represents the maximum log-likelihood of the estimated model (Spiess and Neumeyer, 2010).

Value

There is a BIC value corresponding to one object, and there is a vector of BIC values corresponding to the multiple objects.

Note

The BIC gives a higher penalty on the number of model parameters than the AIC.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Spiess, A-N and Neumeyer, N. (2010) An evaluation of R squared as an inadequate measure for nonlinear models in pharmacological and biochemical research: a Monte Carlo approach. *BMC Pharmacol.* 10, 6. doi:10.1186/14712210106

See Also

[aic](#), [AIC](#) in package **stats**, and [BIC](#) in package **stats**

Examples

```
#### Example #####
data(leaves)
attach(leaves)
# Choose a geographical population (see Table S1 in Wang et al. [2018] for details)
# Wang, P., Ratkowsky, D.A., Xiao, X., Yu, X., Su, J., Zhang, L. and Shi, P.
# (2018) Taylor's power law for leaf bilateral symmetry. Forests 9, 500. doi: 10.3390/f9080500
# 1: AJ; 2: HN; 3: HW; 4: HZ; 5: JD;
# 6: JS; 7: SC; 8: TC; 9: TT; 10: TX
ind <- 1
L <- Length[PopuCode == ind]
W <- Width[PopuCode == ind]
A <- Area[PopuCode == ind]

# Define a model  $y = a(x_1 \times x_2)$ , where  $a$  is a parameter to be estimated
propor <- function(theta, x){
  a <- theta[1]
  x1 <- x[,1]
  x2 <- x[,2]
  a*x1*x2
}
```

```
# Define a model  $y = a \cdot (x_1^b) \cdot (x_2^c)$ , where a, b and c are parameters to be estimated
threepar <- function(theta, x){
  a <- theta[1]
  b <- theta[2]
  c <- theta[3]
  x1 <- x[,1]
  x2 <- x[,2]
  a*x1^b*x2^c
}
```

```
# Define a model  $y = a \cdot x^b$ , where a and b are parameters to be estimated
twopar <- function(theta, x){
  a <- theta[1]
  b <- theta[2]
  a*x^b
}
```

```
A1 <- fitIPEC(propor, x=cbind(L, W), y=A, fig.opt=FALSE,
  ini.val=list(seq(0.1, 1.5, by=0.1)))
B1 <- curvIPEC(propor, theta=A1$par, x=cbind(L, W), y=A)
A2 <- fitIPEC(threepar, x=cbind(L, W), y=A, fig.opt=FALSE,
  ini.val=list(A1$par, seq(0.5, 1.5, by=0.1), seq(0.5, 1.5, by=0.1)))
B2 <- curvIPEC(threepar, theta=A2$par, x=cbind(L, W), y=A)
A3 <- fitIPEC(twopar, x=L, y=A, fig.opt=FALSE,
  ini.val=list(1, seq(0.5, 1.5, by=0.05)))
B3 <- curvIPEC(twopar, theta=A3$par, x=L, y=A)
A4 <- fitIPEC(twopar, x=W, y=A, fig.opt=FALSE,
  ini.val=list(1, seq(0.5, 1.5, by=0.05)))
B4 <- curvIPEC(twopar, theta=A4$par, x=W, y=A)
aic(A1, A2, A3, A4)
bic(A1, A2, A3, A4)
```

```
#####
```

bootIPEC

Bootstrap Function for Nonlinear Regression

Description

Generates the density distributions, standard deviations, confidence intervals, covariance matrices and correlation matrices of parameters based on bootstrap replications.

Usage

```
bootIPEC( expr, x, y, ini.val, weights = NULL, control = list(),
  nboot = 200, CI = 0.95, fig.opt = TRUE, fold = 3.5,
  unique.num = 2, prog.opt = TRUE )
```

Arguments

<code>expr</code>	A given parametric model
<code>x</code>	A vector or matrix of observations of independent variable(s)
<code>y</code>	A vector of observations of response variable
<code>ini.val</code>	A vector or list of initial values of model parameters
<code>weights</code>	An optional vector of weights to be used in the fitting process. <code>weights</code> should be NULL or a numeric vector. If non-NULL, weighted least squares is used with weights <code>weights</code> ; otherwise ordinary least squares is used.
<code>control</code>	A list of control parameters for using the <code>optim</code> function in package <code>stats</code>
<code>nboot</code>	The number of bootstrap replications
<code>CI</code>	The confidence level(s) of the required interval(s)
<code>fig.opt</code>	An option of drawing figures of the distributions of bootstrap values of parameters and figures of pairwise comparisons of bootstrap values
<code>fold</code>	A parameter removing the extreme bootstrap values of parameters
<code>unique.num</code>	The least number of sampled non-overlapping data points for carrying out a bootstrap nonlinear regression
<code>prog.opt</code>	An option of showing the running progress of bootstrap

Details

`ini.val` can be a vector or a list that has saved initial values for model parameters,

e.g. $y = \text{beta0} + \text{beta1} * x + \text{beta2} * x^2$,

`ini.val = list(beta0=seq(5, 15, len=2), beta1=seq(0.1, 1, len=9), beta2=seq(0.01, 0.05, len=5))`, which is similar to the usage of the input argument of `start` of `nls` in package `stats`.

In the `weights` argument option, the default is `weights = NULL`. In that case, ordinary least squares is used. The residual sum of squares (RSS) between the observed and predicted y values is minimized to estimate a model's parameters, i.e.,

$$\text{RSS} = \sum_{i=1}^n (y_i - \hat{y}_i)^2$$

where y_i and \hat{y}_i represent the observed and predicted y values, respectively; and n represents the sample size. If `weights` is a numeric vector, the weighted residual sum of squares is minimized, i.e.,

$$\text{RSS} = \sum_{i=1}^n w_i (y_i - \hat{y}_i)^2$$

where w_i is the i elements of weights.

`CI` determines the width of confidence intervals.

`fold` is used to delete the data whose differences from the median exceed a certain fold of the difference between 3/4 and 1/4 quantiles of the bootstrap values of a model parameter.

The default of `unique.num` is 2. That is, at least two non-overlapping data points randomly sampled from (x, y) are needed for carrying out a bootstrap nonlinear regression.

Value

M	The matrix saving the fitted results of all nboot bootstrap values of model parameters and goodness of fit
perc.ci.mat	The matrix saving the estimate, standard deviation, median, mean, and the calculated lower and upper limits of confidence interval based on the bootstrap percentile method
bca.ci.mat	The matrix saving the estimate, standard deviation, median, mean, and the calculated lower and upper limits of confidence interval based on the bootstrap BC_a method
covar.mat	The covariance matrix of parameters based on the bootstrap values when nboot > 1
cor.mat	The correlation matrix of parameters based on the bootstrap values when nboot > 1

Note

To obtain reliable confidence intervals of model parameters, more than **2000** bootstrap replications are recommended; whereas to obtain a reliable standard deviation of the estimate of a parameter, more than **30** bootstrap replications are sufficient (Efron and Tibshirani 1993). `bca.ci.mat` is recommended to show better confidence intervals of parameters than those in `perc.ci.mat`.

The outputs of model parameters will all be represented by θ_i , i from 1 to p , where p represents the number of model parameters. The letters of model parameters defined by users such as β_i will be automatically replaced by θ_i .

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

- Efron, B. and Tibshirani, R.J. (1993) *An Introduction to the Bootstrap*. Chapman and Hall (CRC), New York. doi:10.2307/2532810
- Sandhu, H.S., Shi, P., Kuang, X., Xue, F. and Ge, F. (2011) Applications of the bootstrap to insect physiology. *Fla. Entomol.* 94, 1036–1041. doi:10.1653/024.094.0442

See Also

[fitIPEC](#)

Examples

```
#### Example 1 #####
graphics.off()
# The velocity of the reaction (counts/min^2) under different substrate concentrations
# in parts per million (ppm) (Page 269 of Bates and Watts 1988)

x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
```

```

y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten (MM) model
MM <- function(theta, x){
  theta[1]*x / ( theta[2] + x )
}

set.seed(123)
res4 <- bootIPEC( MM, x=x1, y=y1, ini.val=c(200, 0.05),
  control=list(reltol=1e-20, maxit=40000), nboot=2000, CI=0.95,
  fig.opt=TRUE )

res4
set.seed(NULL)

#####

#### Example 2 #####
graphics.off()
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
# Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
# properties for describing temperature-dependent developmental rates of insects
# and mites. Ann. Entomol. Soc. Am. 110, 302-309.
# Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
# Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
# alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
  11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )
ini.val1 <- c(0.14, 30, 10, 40)

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)

```

```

    temp <- Inf
    if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
      temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
        )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
    }
    return( temp )
  }
}

myfun <- sqrt.LRF

set.seed(123)
resu4 <- bootIPEC( myfun, x=x2, y=y2, ini.val=ini.val1,
                  nboot=2000, CI=0.95, fig.opt=TRUE )

resu4
set.seed(NULL)

#####

#### Example 3 #####
graphics.off()
# Height growth data of four species of bamboo (Gramineae: Bambusoideae)
# Reference(s):
# Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and
# Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants.
# Ecol. Model. 349, 1-10.

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik.
# 'x3' is the vector of the observation times from a specific starting time of growth
# 'y3' is the vector of the aboveground height values of bamboo shoots at 'x3'

ind <- 4
x3 <- shoots$x[shoots$Code == ind]
y3 <- shoots$y[shoots$Code == ind]

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P <- cbind(P)
  if(length(P) !=4 ) {stop(" The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  return(ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-

```

```

        2*tmax)*((x-tmin)/(topt-tmin))^((topt-tmin)/(tmax-topt)))
    }

# Define the simplified beta sigmoid model (simp.bsm)
simp.bsm <- function(P, x, tmin=0){
  P <- cbind(P)
  ropt <- P[1]
  topt <- P[2]
  tmax <- P[3]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  return(ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-
    2*tmax)*((x-tmin)/(topt-tmin))^((topt-tmin)/(tmax-topt)))
}

# For the original beta sigmoid model
ini.val2 <- c(40, 30, 5, 50)
xlab2 <- "Time (d)"
ylab2 <- "Height (cm)"

set.seed(123)
re4 <- bootIPEC( bsm, x=x3, y=y3, ini.val=ini.val2,
  control=list(trace=FALSE, reltol=1e-20, maxit=50000),
  nboot=2000, CI=0.95, fig.opt=TRUE, fold=10 )
re4
set.seed(NULL)

# For the simplified beta sigmoid model (in comparison with the original beta sigmoid model)
ini.val7 <- c(40, 30, 50)

set.seed(123)
RESU4 <- bootIPEC( simp.bsm, x=x3, y=y3, ini.val=ini.val7,
  control=list(trace=FALSE, reltol=1e-20, maxit=50000),
  nboot=2000, CI=0.95, fig.opt=TRUE, fold=10 )
RESU4
set.seed(NULL)

#####

#### Example 4 #####
graphics.off()
# Weight of cut grass data (Pattinson 1981)
# References:
# Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
# regression. J. Am. Stat. Assoc. 82, 221-230.

```

```

# Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
#   New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
#   http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
# Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
#   Response to Herbage on Offer. unpublished M.Sc. thesis, University
#   of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c( 3.183, 3.059, 2.871, 2.622, 2.541, 2.184,
        2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550 )

# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
  P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
  log( P2[3] ) + exp(P2[2] + P2[1]*x)
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
  theta1 <- P3[1]
  beta2 <- P3[2]
  beta3 <- P3[3]
  theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
  theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
  theta3 + theta2*exp(theta1*x)
}

set.seed(123)
ini.val3 <- c(-0.1, 2.5, 1.0)
r4      <- bootIPEC( MitA, x=x4, y=y4, ini.val=ini.val3,
                   nboot=2000, CI=0.95, fig.opt=TRUE )
r4

ini.val4 <- c(exp(-0.1), log(2.5), 1)
R4      <- bootIPEC( MitB, x=x4, y=y4, ini.val=ini.val4,
                   nboot=2000, CI=0.95, fig.opt=TRUE )
R4

# ini.val6 <- c(-0.15, 2.52, 1.09)
iv.list2 <- list(seq(-2, -0.05, len=5), seq(1, 4, len=8), seq(0.05, 3, by=0.5))
RES0 <- fitIPEC( MitC, x=x4, y=y4, ini.val=iv.list2,
                control=list(trace=FALSE, reltol=1e-10, maxit=5000) )
RES0$par
RES4 <- bootIPEC( MitC, x=x4, y=y4, ini.val=iv.list2,
                control=list(trace=FALSE, reltol=1e-10, maxit=5000),

```



```

nboot=5000, CI=0.95, fig.opt=TRUE, fold=3.5, unique.num=2 )
RES4
set.seed(NULL)

```

```
#####
```

crops

Whole-plant biomass Data of 12 Species of Crops

Description

The whole-plant biomass data of 12 species of crops growing in northern China in 2011.

Usage

```
data(crops)
```

Details

In the data set, there are six columns: Code, CommonName, Date, Time, FM, and DM. Code is used to save the codes of crops; CommonName is used to save the common names of crops; Date is used to save the investigation date; Time is used to save the ages of crops from the sowing date (27 June, 2011) in days; FM is used to save the whole-plant fresh mass of crops in g; DM is used to save the whole-plant dry mass of crops in g.

Code = 1 represents sunflowers;

Code = 2 represents peanuts;

Code = 3 represents black soybeans;

Code = 4 represents soybeans;

Code = 5 represents kidney beans;

Code = 6 represents garden peas;

Code = 7 represents adzuki beans;

Code = 8 represents mungbeans;

Code = 9 represents cottons;

Code = 10 represents sweet sorghums;

Code = 11 represents corns;

Code = 12 represents Mexican corns.

References

Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants. *Ecol. Model.* 349, 1–10. [doi:10.1016/j.ecolmodel.2017.01.012](https://doi.org/10.1016/j.ecolmodel.2017.01.012)

Shi, P., Men, X., Sandhu, H.S., Chakraborty, A., Li, B., Ouyang, F., Sun, Y., Ge, F. (2013) The "general" ontogenetic growth model is inapplicable to crop growth. *Ecol. Model.* 266, 1–9. [doi:10.1016/j.ecolmodel.2013.06.025](https://doi.org/10.1016/j.ecolmodel.2013.06.025)

Examples

```

data(crops)
ind  <- 6
xv   <- crops$Time[crops$Code == ind]
yv   <- crops$DM[crops$Code == ind]
xlab0 <- "Time (d)"
ylab0 <- "Dry mass (g)"

dev.new()
plot(xv, yv, cex=1.5, cex.lab=1.5, cex.axis=1.5, xlab=xlab0, ylab=ylab0)

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P <- cbind(P)
  if(length(P) !=4 ) {stop("The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*(
    (x-tmin)/(topt-tmin) )^((topt-tmin)/(tmax-topt))
}

# For the original beta sigmoid model
ini.val0 <- c(60, 30, seq(0, 10, 20), 100)
fit1 <- fitIPEC( bsm, x=xv, y=yv, ini.val=ini.val0, xlim=NULL, ylim=NULL,
  xlab=xlab0, ylab=ylab0, fig.opt=TRUE,
  control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
fit1$par

w <- rep(1/as.numeric(tapply(yv, xv, var)), tapply(yv, xv, length))
fit2 <- fitIPEC( bsm, x=xv, y=yv, ini.val=ini.val0, weights=w, xlim=NULL,
  ylim=NULL, xlab=xlab0, ylab=ylab0, fig.opt=TRUE,
  control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
fit2$par

dev.new()
xp <- seq(0, 120, len=2000)
yp <- bsm(P=fit2$par, x=xp)
xv2 <- as.numeric(tapply(xv, xv, mean))
yv2 <- as.numeric(tapply(yv, xv, mean))
sd2 <- as.numeric(tapply(yv, xv, sd))
Up <- yv2+sd2
Low <- yv2-sd2
plot( xv2, yv2, xlab=xlab0, ylab=ylab0, cex.lab=1.5,
  cex.axis=1.5, xlim=c(0,120), ylim=c(-5, 100), type="n" )

```

```

lines( xp, yp, col=4 )
points( xv2, yv2, pch=1, cex=1.5, col=2 )
for(i in 1:length(Up)){
  lines(c(xv2[i], xv2[i]), c(Low[i], Up[i]), col=6)
}

```

curvIPEC

RMS Curvature Calculation Function

Description

Calculates the root mean square curvatures (intrinsic and parameter-effects curvatures) of a nonlinear regression model.

Usage

```

curvIPEC(expr, theta, x, y, tol = 1e-16, alpha = 0.05, method = "Richardson",
         method.args = list(eps = 1e-04, d = 0.11,
                             zero.tol = sqrt(.Machine$double.eps/7e-07),
                             r = 6, v = 2, show.details = FALSE), side = NULL)

```

Arguments

<code>expr</code>	A given parametric model
<code>theta</code>	A vector of parameters of the model
<code>x</code>	A vector or matrix of observations of independent variable(s)
<code>y</code>	A vector of observations of response variable
<code>tol</code>	The tolerance for detecting linear dependencies in the columns of a matrix in the QR decomposition. See the input argument of <code>tol</code> of the <code>qr</code> function in package base
<code>alpha</code>	Parameter controlling the significance level for testing the significance of a curvature
<code>method</code>	It is the same as the input argument of <code>method</code> of the <code>hessian</code> function in package numDeriv
<code>method.args</code>	It is the same as the input argument of <code>method.args</code> of the <code>hessian</code> function in package numDeriv
<code>side</code>	It is the same as the input argument of <code>side</code> of the <code>jacobian</code> function in package numDeriv

Details

This function was built based on the `hessian` and `jacobian` functions in package **numDeriv**, with reference to the `rms.curv` function in package **MASS**. However, it is more general without being limited by the `deriv3` function in package **stats** and `nls` class like the `rms.curv` function in package **MASS**. It mainly relies on package **numDeriv**. The users only need provide the defined model, the fitted parameter vector, and the observations of independent and response variables, they will obtain the curvatures. The input argument `theta` can be obtained using the `fitIPEC` function in the current package, and it also can be obtained using the other nonlinear regression functions.

Value

rms.ic	The root mean square intrinsic curvature
rms.pec	The root mean square parameter-effects curvature
critical.c	The critical curvature value

Note

The calculation precision of curvature mainly depends on the setting of `method.args`. The two important default values in the list of `method.args` are `d = 0.11`, and `r = 6`.

This function cannot be used to calculate the maximum intrinsic and parameter-effects curvatures.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. Wiley, New York. doi:10.1002/9780470316757

Gebremariam, B. (2014) Is nonlinear regression throwing you a curve? New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014. <http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf>

Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach*. Marcel Dekker, New York.

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

Ratkowsky, D.A. & Reddy, G.V.P. (2017) Empirical model with excellent statistical properties for describing temperature-dependent developmental rates of insects and mites. *Ann. Entomol. Soc. Am.* 110, 302–309. doi:10.1093/aesa/saw098

See Also

[derivIPEC](#), [hessian](#) in package **numDeriv**, [jacobian](#) in package **numDeriv**, [rms.curv](#) in package **MASS**

Examples

```
#### Example 1 #####
# The velocity of the reaction (counts/min^2) under different substrate concentrations
# in parts per million (ppm) (Pages 255 and 269 of Bates and Watts 1988)

x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten model
MM <- function(theta, x){
  theta[1]*x / ( theta[2] + x )
}
```

```

par1 <- c(212.68490865, 0.06412421)
# To calculate curvatures
res2 <- curvIPEC(MM, theta=par1, x=x1, y=y1, alpha=0.05, method="Richardson",
  method.args=list(eps=1e-4, d=0.11, zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2))
res2
#####

#### Example 2 #####
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
# Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
# properties for describing temperature-dependent developmental rates of insects
# and mites. Ann. Entomol. Soc. Am. 110, 302-309.
# Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
# Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
# alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c( 41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
  11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03 )
y2 <- 1/D2
y2 <- sqrt( y2 )

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
par2 <- c(0.1382926, 33.4575663, 5.5841244, 38.8282021)

```

```

# To calculate curvatures
resu2 <- curvIPEC( myfun, theta=par2, x=x2, y=y2, alpha=0.05, method="Richardson",
                  method.args=list(eps=1e-4, d=0.11,
                                    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )

resu2
#####

#### Example 3 #####
# Height growth data of four species of bamboo (Gramineae: Bambusoideae)
# Reference(s):
# Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and
# Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants.
# Ecol. Model. 349, 1-10.

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik.
# 'x3' is the vector of the investigation times (in d) from a specific starting time of growth
# 'y3' is the vector of the aboveground height values (in cm) of bamboo shoots at 'x3'

ind <- 4
x3 <- shoots$x[shoots$Code == ind]
y3 <- shoots$y[shoots$Code == ind]

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P <- cbind(P)
  if(length(P) !=4 ) {stop("The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*
    (x-tmin)/(topt-tmin)^((topt-tmin)/(tmax-topt))
}

# Define the simplified beta sigmoid model (simp.bsm)
simp.bsm <- function(P, x, tmin=0){
  P <- cbind(P)
  ropt <- P[1]
  topt <- P[2]
  tmax <- P[3]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
  }
}

```

```

    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*
  (x-tmin)/(topt-tmin)^((topt-tmin)/(tmax-topt))
}

# For the original beta sigmoid model
ini.val2 <- c(40, 30, 5, 50)
xlab2 <- "Time (d)"
ylab2 <- "Height (cm)"
re0 <- fitIPEC( bsm, x=x3, y=y3, ini.val=ini.val2,
               xlim=NULL, ylim=NULL, xlab=xlab2, ylab=ylab2,
               fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par3 <- re0$par
par3
re1 <- derivIPEC( bsm, theta=par3, x3[20], method="Richardson",
                 method.args=list(eps=1e-4, d=0.11,
                                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
re1
re2 <- curvIPEC( bsm, theta=par3, x=x3, y=y3, alpha=0.05, method="Richardson",
                 method.args=list(eps=1e-4, d=0.11,
                                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
re2

# For the simplified beta sigmoid model (in comparison with the original beta sigmoid model)
ini.val7 <- c(40, 30, 50)

RESU0 <- fitIPEC( simp.bsm, x=x3, y=y3, ini.val=ini.val7,
                 xlim=NULL, ylim=NULL, xlab=xlab2, ylab=ylab2,
                 fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par7 <- RESU0$par
par7

RESU2 <- curvIPEC( simp.bsm, theta=par7, x=x3, y=y3, alpha=0.05, method="Richardson",
                 method.args=list(eps=1e-4, d=0.11,
                                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RESU2
#####

#### Example 4 #####
# Weight of cut grass data (Pattinson 1981)
# References:
# Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
# regression. J. Am. Stat. Assoc. 82, 221-230.
# Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
# New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
# http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
# Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
# Response to Herbage on Offer. unpublished M.Sc. thesis, University
# of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

```

```

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184,
        2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
  P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
  log( P2[3] ) + exp(P2[2] + P2[1]*x)
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
  theta1 <- P3[1]
  beta2 <- P3[2]
  beta3 <- P3[3]
  theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
  theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
  theta3 + theta2*exp(theta1*x)
}

ini.val3 <- c(-0.1, 2.5, 1)
r0 <- fitIPEC( MitA, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
              fig.opt=TRUE, control=list(
                trace=FALSE, reltol=1e-20, maxit=50000) )
parA <- r0$par
parA
r2 <- curvIPEC( MitA, theta=parA, x=x4, y=y4, alpha=0.05, method="Richardson",
              method.args=list(eps=1e-4, d=0.11,
                                zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
r2

ini.val4 <- c(exp(-0.1), log(2.5), 1)

R0 <- fitIPEC( MitB, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
              fig.opt=TRUE, control=list(
                trace=FALSE, reltol=1e-20, maxit=50000) )
parB <- R0$par
parB
R2 <- curvIPEC( MitB, theta=parB, x=x4, y=y4, alpha=0.05, method="Richardson",
              method.args=list(eps=1e-4, d=0.11,
                                zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
R2

ini.val6 <- c(-0.15, 2.52, 1.09)
RES0 <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
                fig.opt=TRUE, control=list(trace=FALSE,

```



```

                                reltol=1e-20, maxit=50000) )
parC    <- RES0$par
parC
RES2    <- curvIPEC( MitC, theta=parC, x=x4, y=y4,
                    tol=1e-20, alpha=0.05, method="Richardson",
                    method.args=list(eps=1e-4, d=0.11,
                    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )

RES2
#####

#### Example 5 #####
# Conductance of a thermistor (y5) as a function of temperature (x5) (Meyer and Roth, 1972)
# References:
# Page 120 in Ratkowsky (1983)
# Meyer, R.R. and Roth P.M. (1972) Modified damped least squares:
# A algorithm for non-linear estimation. J. Inst. Math. Appl. 9, 218-233.

x5 <- seq(50, 125, by=5)
y5 <- c( 34780, 28610, 23650, 19630, 16370, 13720, 11540, 9744,
        8261, 7030, 6005, 5147, 4427, 3820, 3307, 2872 )
y5 <- log(y5)

conduct.fun <- function(P, x){
-P[1]+P[2]/(x+P[3])
}

ini.val5 <- c(5, 10^4, 0.5*10^3)
RE0    <- fitIPEC( conduct.fun, x=x5, y=y5, ini.val=ini.val5, xlim=NULL, ylim=NULL,
                    fig.opt=TRUE, control=list(
                    trace=FALSE, reltol=1e-20, maxit=50000) )

par5    <- RE0$par
par5
RE2    <- curvIPEC( conduct.fun, theta=par5, x=x5, y=y5, alpha=0.05, method="Richardson",
                    method.args=list(eps=1e-4, d=0.11,
                    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )

RE2
#####

#### Example 6 #####
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References
# Pages 255 and 270 in Bates and Watts (1988)
# Marske, D. (1967) Biochemical oxygen demand data interpretation using sum of squares surface.
# M.Sc. Thesis, University of Wisconsin-Madison.

# 'x6' is a vector of time (in d)
# 'y6' is a vector of biochemical oxygen demand (mg/l)

x6 <- c(1, 2, 3, 4, 5, 7)
y6 <- c(8.3, 10.3, 19.0, 16.0, 15.6, 19.8)

```

```

BOD.fun <- function(P, x){
  P[1]*(1-exp(P[2]*x))
}

ini.val7 <- c(210, 0.06)
consq0 <- fitIPEC( BOD.fun, x=x6, y=y6, ini.val=ini.val7, xlim=NULL, ylim=NULL,
  fig.opt=TRUE, control=list(
    trace=FALSE, reltol=1e-20, maxit=50000) )

par7 <- consq0$par
par7
consq2 <- curvIPEC( BOD.fun, theta=par7, x=x6, y=y6, alpha=0.05, method="Richardson",
  method.args=list(eps=1e-4, d=0.11,
    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )

consq2
#####

#### Example 7 #####
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References:
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
# 52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1 <- x[,1]
  x2 <- x[,2]
  x3 <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

par8 <- c(35.92831619, 0.07084811, 0.03772270, 0.16718384)
cons2 <- curvIPEC( isom.fun, theta=par8, x=X, y=Y, alpha=0.05, method="Richardson",
  method.args=list(eps=1e-4, d=0.11,
    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )

cons2
#####

```

 derivIPEC

Derivative Calculation Function

Description

Calculates the Jacobian and Hessian matrices of model parameters at a vector z .

Usage

```
derivIPEC(expr, theta, z, method = "Richardson",
          method.args = list(eps = 1e-04, d = 0.11,
                             zero.tol = sqrt(.Machine$double.eps/7e-07), r = 6, v = 2,
                             show.details = FALSE), side = NULL)
```

Arguments

<code>expr</code>	A given parametric model
<code>theta</code>	A vector of parameters of the model
<code>z</code>	A vector where the derivatives are calculated
<code>method</code>	It is the same as the input argument of <code>method</code> of the hessian function in package numDeriv
<code>method.args</code>	It is the same as the input argument of <code>method.args</code> of the hessian function in package numDeriv
<code>side</code>	It is the same as the input argument of <code>side</code> of the jacobian function in package numDeriv

Details

The Hessian and Jacobian matrices are calculated at a vector z , which represents a value of a single independent variable or a combination of different values of multiple independent variables.

Value

Jacobian	The Jacobian matrix of parameters at z
Hessian	The Hessian matrix of parameters at z

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

- Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. Wiley, New York. doi:10.1002/9780470316757
- Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach*. Marcel Dekker, New York.
- Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

See Also

[biasIPEC](#), [skewIPEC](#), [curvIPEC](#), [hessian](#) in package **numDeriv**, [jacobian](#) in package **numDeriv**

Examples

```
#### Example 1 #####
# Define the Michaelis-Menten model
MM <- function(theta, x){
  theta[1]*x / ( theta[2] + x )
}

par1 <- c(212.68490865, 0.06412421)
res1 <- derivIPEC(MM, theta=par1, z=0.02, method="Richardson",
  method.args=list(eps=1e-4, d=0.11,
  zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2))
res1
#####

#### Example 2 #####
# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin)
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
par2 <- c(0.1382926, 33.4575663, 5.5841244, 38.8282021)
```

```

resul <- derivIPEC( myfun, theta=par2, z=15, method="Richardson",
  method.args=list(eps=1e-4, d=0.11,
    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
resul
#####

### Example 3 #####
# Weight of cut grass data (Pattinson 1981)
# References:
# Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
# regression. J. Am. Stat. Assoc. 82, 221-230.
# Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
# New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
# http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
# Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
# Response to Herbage on Offer. unpublished M.Sc. thesis, University
# of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184, 2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the third case of Mitscherlich equation
MitC <- function(P3, x){
  theta1 <- P3[1]
  beta2 <- P3[2]
  beta3 <- P3[3]
  x1 <- 1
  x2 <- 13
  theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
  theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
  theta3 + theta2*exp(theta1*x)
}

ini.val6 <- c(-0.15, 2.52, 1.09)
RES0 <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parC <- RES0$par
parC
RES1 <- derivIPEC( MitC, theta=parC, z=2, method="Richardson",
  method.args=list(eps=1e-4, d=0.11,
    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RES1
#####

```

Description

Estimates the parameters of a given parametric model using the `optim` function in package **stats**.

Usage

```
fitIPEC( expr, x, y, ini.val, weights = NULL, control = list(),
         fig.opt = TRUE, xlim = NULL, ylim = NULL, xlab = NULL, ylab = NULL )
```

Arguments

<code>expr</code>	A given parametric model
<code>x</code>	A vector or matrix of observations of independent variable(s)
<code>y</code>	A vector of observations of response variable
<code>ini.val</code>	A vector or list of initial values of model parameters
<code>weights</code>	An optional vector of weights to be used in the fitting process. <code>weights</code> should be <code>NULL</code> or a numeric vector. If non- <code>NULL</code> , weighted least squares is used with weights <code>weights</code> ; otherwise ordinary least squares is used.
<code>control</code>	A list of control parameters for using the <code>optim</code> function in package stats
<code>fig.opt</code>	An option to determine whether to draw the fitted curve
<code>xlim</code>	The shown range of the x -axis
<code>ylim</code>	The shown range of the y -axis
<code>xlab</code>	The label of the x -axis
<code>ylab</code>	The label of the y -axis

Details

The Nelder-Mead algorithm is the default in the `optim` function in package **stats**. The user can accurately estimate the model parameters by setting smaller relative convergence tolerance and larger maximum number of iterations in the input argument of `control`,

```
e.g. control=list(trace=FALSE, reltol=1e-20, maxit=50000),
```

at the expense of the running speed.

`ini.val` can be a vector or a list that has saved initial values for model parameters,

```
e.g. y = beta0 + beta1 * x + beta2 * x^2,
```

```
ini.val = list(beta0=seq(5, 15, len=2), beta1=seq(0.1, 1, len=9), beta2=seq(0.01, 0.05, len=5)),
```

which is similar to the usage of the input argument of `start` of `nls` in package **stats**.

In the `weights` argument option, the default is `weights = NULL`. In that case, ordinary least squares is used. The residual sum of squares (RSS) between the observed and predicted y values is minimized to estimate a model's parameters, i.e.,

$$\text{RSS} = \sum_{i=1}^n (y_i - \hat{y}_i)^2$$

where y_i and \hat{y}_i represent the observed and predicted y values, respectively; and n represents the sample size. If weights is a numeric vector, the weighted residual sum of squares is minimized, i.e.,

$$\text{RSS} = \sum_{i=1}^n w_i (y_i - \hat{y}_i)^2$$

where w_i is the i elements of weights.

Value

expr	The formula used
par	The vector of estimates of parameters
RSS	The residual sum of squares or the weighted residual sum of squares
R.sq	The coefficient of determination or the weighted coefficient of determination
n	The number of data points, namely the sample size

Note

This function can be applicable to a nonlinear parametric model with a single independent variable or with multiple independent variables.

R.sq is only used to help users intuitively judge whether the fitted curve seriously deviates from the actual observations. However, it should NOT be used to decide which of several competing models is the most appropriate (Pages 44–45 in Ratkowsky 1990). RSS and curvatures are among the suitable candidates to answer such a question.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Nelder, J.A. and Mead, R. (1965) A simplex method for function minimization. *Comput. J.* 7, 308–313. doi:10.1093/comjnl/7.4.308

See Also

[bootIPEC](#), [optim](#) in package **stats**

Examples

```
#### Example 1 #####
graphics.off()
# The velocity of the reaction (counts/min^2) under different substrate concentrations
#   in parts per million (ppm) (Page 269 of Bates and Watts 1988)

x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)
```

```

# Define the Michaelis-Menten model
MM <- function(theta, x){
  theta[1]*x / ( theta[2] + x )
}

res0 <- fitIPEC(MM, x=x1, y=y1, ini.val=c(200, 0.05),
               xlim=c(0, 1.5), ylim=c(0, 250), fig.opt=TRUE)
par1 <- res0$par
par1
res0

# The input names of parameters will not affect the fitted results.
# We can use other names to replace theta1 and theta2.
iv.list1 <- list( theta1=seq(100, 300, by=50), theta2=seq(10, 100, by=10) )
result0 <- fitIPEC( MM, x=x1, y=y1, ini.val=iv.list1, xlim=c(0, 1.5), ylim=c(0, 250),
                  fig.opt=FALSE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
param1 <- result0$par
param1
#####

#### Example 2 #####
graphics.off()
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
# Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#   properties for describing temperature-dependent developmental rates of insects
#   and mites. Ann. Entomol. Soc. Am. 110, 302-309.
# Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#   Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#   alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
        11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )

ini.val1 <- c(0.14, 30, 10, 40)

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
  }
}

```



```

    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin)
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
xlab1 <- expression( paste("Temperature (", degree, "C)", sep="" ) )
ylab1 <- expression( paste("Developmental rate"^{1/2},
  " (", d^{"-1"}", ") ", sep="" ) )
resu0 <- fitIPEC( myfun, x=x2, y=y2, ini.val=ini.val1, xlim=NULL,
  ylim=NULL, xlab=xlab1, ylab=ylab1, fig.opt=TRUE,
  control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par2 <- resu0$par
par2
resu0
#####

#### Example 3 #####
graphics.off()
# Height growth data of four species of bamboo (Gramineae: Bambusoideae)
# Reference(s):
# Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L.,
# Fang, S. and Zhang, C. (2017) Comparison of two ontogenetic
# growth equations for animals and plants. Ecol. Model. 349, 1-10.

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik
# 'x3' is the vector of the investigation times from a specific starting time of growth
# 'y3' is the vector of the aboveground height values of bamboo shoots at 'x3'
ind <- 4
x3 <- shoots$x[shoots$Code == ind]
y3 <- shoots$y[shoots$Code == ind]

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P <- cbind(P)
  if(length(P) !=4 ) {stop(" The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin

```

```

    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*
    (x-tmin)/(topt-tmin)^((topt-tmin)/(tmax-topt))
}

ini.val2 <- c(40, 30, 5, 50)
xlab2 <- "Time (d)"
ylab2 <- "Height (cm)"

re0 <- fitIPEC( bsm, x=x3, y=y3, ini.val=ini.val2,
               xlim=NULL, ylim=NULL, xlab=xlab2, ylab=ylab2,
               fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par3 <- re0$par
par3
#####

#### Example 4 #####
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References:
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
# 52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1 <- x[,1]
  x2 <- x[,2]
  x3 <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

ini.val8 <- c(35, 0.1, 0.05, 0.2)
cons1 <- fitIPEC( isom.fun, x=X, y=Y, ini.val=ini.val8, control=list(
  trace=FALSE, reltol=1e-20, maxit=50000) )
par8 <- cons1$par
#####

```

IPEC

*Root Mean Square Curvature Calculation***Description**

Calculates the RMS intrinsic and parameter-effects curvatures of a nonlinear regression model. The curvatures are global measures of assessing whether a model/data set combination is close-to-linear or not. See Bates and Watts (1980) and Ratkowsky and Reddy (2017) for details.

Details

The DESCRIPTION file:

```

Package:      IPEC
Type:        Package
Title:       Root Mean Square Curvature Calculation
Version:     1.0.3
Date:       2022-05-21
Authors@R:   c(person(given="Peijian", family="Shi", email="pjshi@njfu.edu.cn", role=c("aut", "cre")), person(given=c("Peijian", "Shi"), family="Shi", email="pjshi@njfu.edu.cn", role=c("aut", "cre")), person(given="Peter M.", family="Ridland", email="p.ridland@njfu.edu.cn", role="aut"), person(given="David A.", family="Ratkowsky", email="d.ratkowsky@njfu.edu.cn", role="aut"), person(given="Yang", family="Li", email="yangli@njfu.edu.cn", role="aut"))
Author:      Peijian Shi [aut, cre], Peter M. Ridland [aut], David A. Ratkowsky [aut], Yang Li [aut]
Maintainer:  Peijian Shi <pjshi@njfu.edu.cn>
Imports:     numDeriv (>= 2016.8-1.1), MASS
Description: Calculates the RMS intrinsic and parameter-effects curvatures of a nonlinear regression model. The curvatures are global measures of assessing whether a model/data set combination is close-to-linear or not. See Bates and Watts (1980) and Ratkowsky and Reddy (2017) for details.
Depends:     R (>= 4.2.0)
License:     GPL (>= 2)

```

Index of help topics:

IPEC	Root Mean Square Curvature Calculation
aic	Akaike Information Criterion (AIC) Calculation Function
biasIPEC	Bias Calculation Function
bic	Bayesian Information Criterion (BIC) Calculation Function
bootIPEC	Bootstrap Function for Nonlinear Regression
crops	Whole-plant biomass Data of 12 Species of Crops
curvIPEC	RMS Curvature Calculation Function
derivIPEC	Derivative Calculation Function
fitIPEC	Nonlinear Fitting Function
isom	Data on Biochemical Oxygen Demand
leaves	Leaf Data of <i>_Parrotia subaequalis_</i> (Hamamelidaceae)
shoots	Height Growth Data of Bamboo Shoots
skewIPEC	Skewness Calculation Function

Note

We are deeply thankful to Drs. Paul Gilbert and Jinlong Zhang for their invaluable help during creating this package.

Author(s)

Peijian Shi [aut, cre], Peter Ridland [aut], David A. Ratkowsky [aut], Yang Li [aut]

Maintainer: Peijian Shi <pjshi@njfu.edu.cn>

References

Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. Wiley, New York. doi:10.1002/9780470316757

Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach*. Marcel Dekker, New York.

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

Ratkowsky, D.A. & Reddy, G.V.P. (2017) Empirical model with excellent statistical properties for describing temperature-dependent developmental rates of insects and mites. *Ann. Entomol. Soc. Am.* 110, 302–309. doi:10.1093/aesa/saw098

See Also

[hessian](#) in package [numDeriv](#), [jacobian](#) in package [numDeriv](#), [rms.curv](#) in package [MASS](#)

Examples

```
#### Example 1 #####
graphics.off()
# The velocity of the reaction (counts/min^2) under different substrate concentrations
# in parts per million (ppm) (Page 269 of Bates and Watts 1988)

x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten model
MM <- function(theta, x){
  theta[1]*x / ( theta[2] + x )
}

res0 <- fitIPEC( MM, x=x1, y=y1, ini.val=c(200, 0.05),
               xlim=c( 0, 1.5 ), ylim=c(0, 250), fig.opt=TRUE )
par1 <- res0$par
par1

res1 <- derivIPEC( MM, theta=par1, z=x1[1], method="Richardson",
                  method.args=list(eps=1e-4, d=0.11,
                                    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
res1
```

```

# To calculate curvatures
res2 <- curvIPEC( MM, theta=par1, x=x1, y=y1, alpha=0.05, method="Richardson",
                 method.args=list(eps=1e-4, d=0.11,
                                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
res2

# To calculate bias
res3 <- biasIPEC(MM, theta=par1, x=x1, y=y1, tol= 1e-20)
res3

set.seed(123)
res4 <- bootIPEC( MM, x=x1, y=y1, ini.val=par1,
                 control=list(reltol=1e-20, maxit=40000),
                 nboot=2000, CI=0.95, fig.opt=TRUE )
res4
set.seed(NULL)

# To calculate skewness
res5 <- skewIPEC(MM, theta=par1, x=x1, y=y1, tol= 1e-20)
res5
#####

#### Example 2 #####
graphics.off()
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
# Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#   properties for describing temperature-dependent developmental rates of insects
#   and mites. Ann. Entomol. Soc. Am. 110, 302-309.
# Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#   Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#   alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
        11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )

ini.val1 <- c(0.14, 30, 10, 40)

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]

```

```

Tmax <- P[4]
fun0 <- function(z){
  z[z < Tmin] <- Tmin
  z[z > Tmax] <- Tmax
  return(z)
}
x <- fun0(x)
if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
  temp <- Inf
if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
  temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin)
    )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
}
return( temp )
}

myfun <- sqrt.LRF
xlab1 <- expression( paste("Temperature (", degree, "C)", sep="" ) )
ylab1 <- expression( paste("Developmental rate"^{1/2}, " (", d^{"-1"}, ")", sep="" ) )
resu0 <- fitIPEC( myfun, x=x2, y=y2, ini.val=ini.val1, xlim=NULL, ylim=NULL,
  xlab=xlab1, ylab=ylab1, fig.opt=TRUE,
  control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par2 <- resu0$par
par2

resu1 <- derivIPEC( myfun, theta=par2, z=x2[1], method="Richardson",
  method.args=list(eps=1e-4, d=0.11,
  zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
resu1

# To calculate curvatures
resu2 <- curvIPEC( myfun, theta=par2, x=x2, y=y2, alpha=0.05, method="Richardson",
  method.args=list(eps=1e-4, d=0.11,
  zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
resu2

# To calculate bias
resu3 <- biasIPEC(myfun, theta=par2, x=x2, y=y2, tol= 1e-20)
resu3

set.seed(123)
resu4 <- bootIPEC( myfun, x=x2, y=y2, ini.val=ini.val1,
  nboot=2000, CI=0.95, fig.opt=TRUE )
resu4
set.seed(NULL)

# To calculate skewness
resu5 <- skewIPEC(myfun, theta=par2, x=x2, y=y2, tol= 1e-20)
resu5
#####

```

```

#### Example 3 #####
graphics.off()
# Height growth data of four species of bamboo (Gramineae: Bambusoideae)
# Reference(s):
# Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and
# Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants.
# Ecol. Model. 349, 1-10.

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik.
# 'x3' is the vector of the investigation times from a specific starting time of growth
# 'y3' is the vector of the aboveground height values of bamboo shoots at 'x3'

ind <- 4
x3 <- shoots$x[shoots$Code == ind]
y3 <- shoots$y[shoots$Code == ind]

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P <- cbind(P)
  if(length(P) !=4 ) {stop("The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)

  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*
    ((x-tmin)/(topt-tmin)) ^((topt-tmin)/(tmax-topt))
}

# Define the simplified beta sigmoid model (simp.bsm)
simp.bsm <- function(P, x, tmin=0){
  P <- cbind(P)
  ropt <- P[1]
  topt <- P[2]
  tmax <- P[3]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*
    ((x-tmin)/(topt-tmin)) ^((topt-tmin)/(tmax-topt))
}

```

```

}

# For the original beta sigmoid model
ini.val2 <- c(40, 30, 5, 50)
xlab2 <- "Time (d)"
ylab2 <- "Height (cm)"

re0 <- fitIPEC( bsm, x=x3, y=y3, ini.val=ini.val2, xlim=NULL, ylim=NULL,
               xlab=xlab2, ylab=ylab2, fig.opt=TRUE,
               control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par3 <- re0$par
par3

re1 <- derivIPEC( bsm, theta=par3, x3[15], method="Richardson",
                 method.args=list(eps=1e-4, d=0.11, zero.tol=
                 sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
re1

re2 <- curvIPEC( bsm, theta=par3, x=x3, y=y3, alpha=0.05, method="Richardson",
                 method.args=list(eps=1e-4, d=0.11, zero.tol=
                 sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
re2

re3 <- biasIPEC( bsm, theta=par3, x=x3, y=y3, tol= 1e-20 )
re3

re4 <- bootIPEC( bsm, x=x3, y=y3, ini.val=ini.val2,
                 control=list(trace=FALSE, reltol=1e-20, maxit=50000),
                 nboot=2000, CI=0.95, fig.opt=TRUE, fold=3.5 )
re4

re5 <- skewIPEC( bsm, theta=par3, x=x3, y=y3, tol= 1e-20 )
re5

# For the simplified beta sigmoid model
# (in comparison with the original beta sigmoid model)
ini.val7 <- c(40, 30, 50)

RESU0 <- fitIPEC( simp.bsm, x=x3, y=y3, ini.val=ini.val7,
                 xlim=NULL, ylim=NULL, xlab=xlab2, ylab=ylab2,
                 fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par7 <- RESU0$par
par7

RESU1 <- derivIPEC( simp.bsm, theta=par7, x3[15], method="Richardson",
                  method.args=list(eps=1e-4, d=0.11,
                  zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RESU1

RESU2 <- curvIPEC( simp.bsm, theta=par7, x=x3, y=y3, alpha=0.05, method="Richardson",
                  method.args=list(eps=1e-4, d=0.11,

```



```

                                zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RESU2

RESU3 <- biasIPEC( simp.bsm, theta=par7, x=x3, y=y3, tol= 1e-20 )
RESU3

set.seed(123)
RESU4 <- bootIPEC( simp.bsm, x=x3, y=y3, ini.val=ini.val7,
                  control=list(trace=FALSE, reltol=1e-20, maxit=50000),
                  nboot=2000, CI=0.95, fig.opt=TRUE, fold=3.5 )
RESU4
set.seed(NULL)

RESU5 <- skewIPEC( simp.bsm, theta=par7, x=x3, y=y3, tol= 1e-20 )
RESU5
#####

#### Example 4 #####
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References:
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
# 52, 391-396.

graphics.off()
data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1 <- x[,1]
  x2 <- x[,2]
  x3 <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

ini.val8 <- c(35, 0.1, 0.05, 0.2)
cons1 <- fitIPEC( isom.fun, x=X, y=Y, ini.val=ini.val8, control=list(
                  trace=FALSE, reltol=1e-20, maxit=50000) )
par8 <- cons1$par

```

```

cons2    <- curvIPEC( isom.fun, theta=par8, x=X, y=Y, alpha=0.05, method="Richardson",
                    method.args=list(eps=1e-4, d=0.11,
                    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2))

cons2
cons3    <- biasIPEC( isom.fun, theta=par8, x=X, y=Y, tol= 1e-20 )
cons3

set.seed(123)
cons4 <- bootIPEC( isom.fun, x=X, y=Y, ini.val=ini.val8,
                  control=list(trace=FALSE, reltol=1e-20, maxit=50000),
                  nboot=2000, CI=0.95, fig.opt=TRUE, fold=10000 )

cons4
set.seed(NULL)

cons5    <- skewIPEC( isom.fun, theta=par8, x=X, y=Y, tol= 1e-20 )
cons5
#####

```

isom

Data on Biochemical Oxygen Demand

Description

Data on the reaction rate of the catalytic isomerization of *n*-pentane to isopentane versus the partial pressures of hydrogen, *n*-pentane, and isopentane.

Usage

```
data(isom)
```

Details

There are four columns in the data set:

'y' is the vector of experimental reaction rate (in 1/hr);

'x1' is the vector of partial pressure of hydrogen;

'x2' is the vector of partial pressure of *n*-pentane;

'x3' is the vector of partial pressure of isopentane.

Note

There were errors about the definitions of 'x2' and 'x3' in page 272 in Bates and Watts (1988). Here, we redefined them according to the paper of Carr (1960).

References

- Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. Wiley, New York. doi:10.1002/9780470316757
- Carr, N.L. (1960) Kinetics of catalytic isomerization of *n*-pentane. *Ind. Eng. Chem.* 52, 391–396.

Examples

```
data(isom)
isom
Y <- isom[,1]
X <- isom[,2:4]
X
Y
```

leaves

Leaf Data of Parrotia subaequalis (Hamamelidaceae)

Description

The data consist of the area, length and width of the leaves of 10 geographical populations of *P. subaequalis* collected in Southern China from July to September, 2016.

Usage

```
data(leaves)
```

Details

In the data set, there are four variables: PopuCode, Length, Width and Area. PopuCode is used to save the number codes of different geographical populations; Length is used to save the scanned leaf length data (cm); Width is used to save the scanned leaf width data (cm); Area is used to save the scanned leaf area data (cm squared).

References

- Wang, P., Ratkowsky, D.A., Xiao, X., Yu, X., Su, J., Zhang, L. and Shi, P. (2018) Taylor's power law for leaf bilateral symmetry. *Forests* 9, 500. doi:10.3390/f9080500

Examples

```
data(leaves)
attach(leaves)
# Choose a geographical population (see Table S1 in Wang et al. [2018] for details)
# 1: AJ; 2: HN; 3: HW; 4: HZ; 5: JD;
# 6: JS; 7: SC; 8: TC; 9: TT; 10: TX
ind <- 1
L <- Length[PopuCode == ind]
W <- Width[PopuCode == ind]
```

```

A <- Area[PopuCode == ind]
x <- L*W
fit <- lm(A ~ x-1)
summary(fit)

# Show the leaf areas of the 10 geographical populations
dev.new()
boxplot(Area~PopuCode, cex=1.5, cex.lab=1.5, cex.axis=1.5,
        col="grey70", xlab=expression(bold("Population code")),
        ylab=expression(bold(paste("Leaf area (cm", ""^{2"}, ") ", sep=""))),
        ylim=c(0, 50), xaxs="i", yaxs="i", las=1)

```

shoots

Height Growth Data of Bamboo Shoots

Description

The height growth data of four species of bamboo at the Nanjing Forestry University campus in 2016.

Usage

```
data(shoots)
```

Details

In the data set, there are four variables: Code, LatinName, x and y. Code is used to save the number codes of different bamboo species; LatinName is used to save the Latin names of different bamboo species; x is used to save the investigation times (d) from a specific starting time of growth, and every bamboo has a different starting time of growth; y is used to save the measured aboveground height values (cm).

Code = 1 represents *Phyllostachys iridescens*, and the starting time (namely $x = 0$) was defined as 12:00, 3rd April, 2016;

Code = 2 represents *Phyllostachys mannii*, and the starting time (namely $x = 0$) was defined as 12:00, 4th April, 2016;

Code = 3 represents *Pleioblastus maculatus*, and the starting time (namely $x = 0$) was defined as 12:00, 29th April, 2016;

Code = 4 represents *Sinobambusa tootsik*, and the starting time (namely $x = 0$) was defined as 12:00, 18th April, 2016.

References

Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants. *Ecol. Model.* 349, 1–10. [doi:10.1016/j.ecolmodel.2017.01.012](https://doi.org/10.1016/j.ecolmodel.2017.01.012)

Examples

```

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik.
ind <- 4
x3 <- shoots$x[shoots$Code == ind]
y3 <- shoots$y[shoots$Code == ind]
dev.new()
plot(x3, y3, cex=1.5, cex.lab=1.5, cex.axis=1.5, xlab="Time (d)", ylab="Height (cm)")

```

skewIPEC

Skewness Calculation Function

Description

Calculates the skewness in the estimates of the parameters of a given model.

Usage

```

skewIPEC( expr, theta, x, y, tol = .Machine$double.eps, method = "Richardson",
          method.args = list(eps = 1e-04, d = 0.11,
                              zero.tol = sqrt(.Machine$double.eps/7e-07), r = 6, v = 2,
                              show.details = FALSE), side = NULL )

```

Arguments

expr	A given parametric model
theta	A vector of parameters of the model
x	A vector or matrix of observations of independent variable(s)
y	A vector of observations of response variable
tol	The tolerance for detecting linear dependencies in the columns of a matrix for calculating its inverse. See the input argument of <code>tol</code> of the solve function in package base
method	It is the same as the input argument of <code>method</code> of the hessian function in package numDeriv
method.args	It is the same as the input argument of <code>method.args</code> of the hessian function in package numDeriv
side	It is the same as the input argument of <code>side</code> of the jacobian function in package numDeriv

Details

The defined model should have two input arguments: a parameter vector and an independent variable vector or matrix, e.g. `myfun <- function(P, x){...}`, where `P` represents the parameter vector and `x` represents the independent variable vector or matrix.

Let $|g_{1i}|$ be a measure of the skewness of the estimate of the i -th parameter. If $|g_{1i}| < \mathbf{0.1}$, the estimator $\hat{\theta}_i$ of parameter θ_i is very close-to-linear in behavior; if $\mathbf{0.1} \leq |g_{1i}| < \mathbf{0.25}$, the estimator is reasonably close-to-linear; if $|g_{1i}| \geq \mathbf{0.25}$, the skewness is very apparent; if $|g_{1i}| > \mathbf{1}$, the estimator is considerably nonlinear in behavior (Pages 27-28 in Ratkowsky 1990).

Value

skewness The skewness

Note

The current function can be applicable to nonlinear models with multiple independent variables.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Hougaard, P. (1985) The appropriateness of the asymptotic distribution in a nonlinear regression model in relation to curvature. *J. R. Statist. Soc., Ser. B* 47, 103–114.

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

See Also

[derivIPEC](#), [hessian](#) in package `numDeriv`, [jacobian](#) in package `numDeriv`

Examples

```
#### Example 1 #####
# The velocity of the reaction (counts/min^2) under different substrate concentrations
# in parts per million (ppm) (Page 269 of Bates and Watts 1988)
x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten (MM) model
MM <- function(theta, x){
  theta[1]*x / ( theta[2] + x )
}

par1 <- c(212.68490865, 0.06412421)
res5 <- skewIPEC( MM, theta=par1, x=x1, y=y1, tol= 1e-20 )
res5
#####
```

```

##### Example 2 #####
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
# Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#   properties for describing temperature-dependent developmental rates of insects
#   and mites. Ann. Entomol. Soc. Am. 110, 302-309.
# Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#   Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#   alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
        11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin)
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
par2 <- c(0.1382926, 33.4575663, 5.5841244, 38.8282021)

# To calculate bias
resu5 <- skewIPEC( myfun, theta=par2, x=x2, y=y2, tol= 1e-20 )
resu5
#####

##### Example 3 #####
# Weight of cut grass data (Pattinson 1981)

```

```

# References:
# Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
# regression. J. Am. Stat. Assoc. 82, 221-230.
# Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
# New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
# http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
# Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
# Response to Herbage on Offer. unpublished M.Sc. thesis, University
# of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184, 2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
  P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
  log( P2[3] ) + exp(P2[2] + P2[1]*x)
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
  theta1 <- P3[1]
  beta2 <- P3[2]
  beta3 <- P3[3]
  theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
  theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
  theta3 + theta2*exp(theta1*x)
}

ini.val3 <- c(-0.1, 2.5, 1)
r0 <- fitIPEC( MitA, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parA <- r0$par
parA
r5 <- skewIPEC(MitA, theta=parA, x=x4, y=y4, tol=1e-20)
r5

ini.val4 <- c(exp(-0.1), log(2.5), 1)
R0 <- fitIPEC( MitB, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parB <- R0$par
parB
R5 <- skewIPEC( MitB, theta=parB, x=x4, y=y4, tol=1e-20 )
R5

ini.val6 <- c(-0.15, 2.52, 1.09)

```



```

RES0    <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
                  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parC    <- RES0$par
parC
RES5    <- skewIPEC( MitC, theta=parC, x=x4, y=y4, tol=1e-20 )
RES5
#####

#### Example 4 #####
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
#    52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1    <- x[,1]
  x2    <- x[,2]
  x3    <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

par8 <- c(35.92831619, 0.07084811, 0.03772270, 0.16718384)
cons5 <- skewIPEC( isom.fun, theta=par8, x=X, y=Y, tol= 1e-20 )
cons5
#####

```

Index

* package

IPEC, 35

AIC, 3, 9

aic, 2, 9

biasIPEC, 4, 28

BIC, 3, 9

bic, 3, 8

bootIPEC, 10, 31

crops, 17

curvIPEC, 19, 28

deriv3, 19

derivIPEC, 5, 20, 27, 46

fitIPEC, 2, 8, 12, 19, 29

hessian, 4, 5, 19, 20, 27, 28, 36, 45, 46

IPEC, 35

isom, 42

jacobian, 4, 5, 19, 20, 27, 28, 36, 45, 46

leaves, 43

nls, 11, 19, 30

optim, 11, 30, 31

qr, 19

rms.curv, 19, 20, 36

shoots, 44

skewIPEC, 28, 45

solve, 4, 45