

Package ‘mHMMbayes’

October 13, 2022

Type Package

Title Multilevel Hidden Markov Models Using Bayesian Estimation

Version 0.2.0

Depends R (>= 3.5.0)

Imports MCMCpack, mvtnorm, stats, Rdpack, Rcpp

Maintainer Emmeke Aarts <e.aarts@uu.nl>

Description An implementation of the multilevel (also known as mixed or random effects) hidden Markov model using Bayesian estimation in R. The multilevel hidden Markov model (HMM) is a generalization of the well-known hidden Markov model, for the latter see Rabiner (1989) <doi:10.1109/5.18626>. The multilevel HMM is tailored to accommodate (intense) longitudinal data of multiple individuals simultaneously, see e.g., de Haan-Rietdijk et al. <doi:10.1080/00273171.2017.1370364>. Using a multilevel framework, we allow for heterogeneity in the model parameters (transition probability matrix and conditional distribution), while estimating one overall HMM. The model can be fitted on multivariate data with a categorical distribution, and include individual level covariates (allowing for e.g., group comparisons on model parameters). Parameters are estimated using Bayesian estimation utilizing the forward-backward recursion within a hybrid Metropolis within Gibbs sampler. The package also includes various visualization options, a function to simulate data, and a function to obtain the most likely hidden state sequence for each individual using the Viterbi algorithm.

URL <https://github.com/emmekeaarts/mHMMbayes>

BugReports <https://github.com/emmekeaarts/mHMMbayes/issues>

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.2.0

Suggests knitr, rmarkdown, alluvial, grDevices, RColorBrewer, testthat (>= 2.1.0)

VignetteBuilder knitr

RdMacros Rdpack

SystemRequirements GNU make

LinkingTo Rcpp

NeedsCompilation yes

Author Emmeke Aarts [aut, cre],
Sebastian Mildiner Moraga [ctb]

Repository CRAN

Date/Publication 2022-08-17 16:00:02 UTC

R topics documented:

int_to_prob	2
mHMM	3
mHMMbayes	9
nonverbal	10
nonverbal_cov	11
obtain_emiss	12
obtain_gamma	13
pd_RW_emiss_cat	15
pd_RW_gamma	18
plot.mHMM	20
plot.mHMM_gamma	23
prior_emiss_cat	24
prior_gamma	29
prob_to_int	32
sim_mHMM	33
vit_mHMM	38

Index **41**

int_to_prob	<i>Transforming a set of Multinomial logit regression intercepts to probabilities</i>
-------------	---

Description

int_to_prob transforms a set of Multinomial logit regression intercepts to the corresponding state transition or categorical emission observation probabilities. Note that the first state or category is assumed to be the reference category, hence no intercept is to specified for the first state or category.

Usage

```
int_to_prob(int_matrix)
```

Arguments

`int_matrix` A matrix with (number of states OR categories - 1) columns and number of rows to be determined by the user. For obtaining the set of probabilities of the complete transition probability matrix `gamma` or categorical emission distribution matrix, the number of rows equals the number of states `m`. The first state / category is assumed to be the reference category, no intercept is to be specified for this first category.

Details

Designed to ease the specification of informative hyper-prior values for the mean intercepts of the transition probability matrix `gamma` and categorical emission distribution(s) of the multilevel hidden Markov model through the functions `prior_gamma` and `prior_emiss_cat`. No check is performed on correct specifications of the dimensions.

Value

`int_to_prob` returns a matrix containing probabilities with each row summing to one, with the number of columns equal to the number of states / categories and the number of rows equal to the number rows specified in the input matrix.

See Also

`prob_to_int` for transforming a set of probabilities to a set of Multinomial logit regression intercepts, `prior_gamma` and `prior_emiss_cat` for specifying informative hyper-priors for the the multilevel hidden Markov model and `mHMM` to fit a multilevel hidden Markov model.

Examples

```
# example for transition probability matrix gamma with 3 states
m <- 3
gamma_int <- matrix(c(-1, -1,
                    3, 0,
                    0, 2), ncol = m-1, nrow = m, byrow = TRUE)
gamma_prob <- int_to_prob(gamma_int)
gamma_prob
```

Description

`mHMM` fits a multilevel (also known as mixed or random effects) hidden Markov model (HMM) to intense longitudinal data with categorical observations of multiple subjects using Bayesian estimation, and creates an object of class `mHMM`. By using a multilevel framework, we allow for heterogeneity in the model parameters between subjects, while estimating one overall HMM. The

function includes the possibility to add covariates at level 2 (i.e., at the subject level) and have varying observation lengths over subjects. For a short description of the package see [mHMM-bayes](#). See `vignette("tutorial-mhmm")` for an introduction to multilevel hidden Markov models and the package, and see `vignette("estimation-mhmm")` for an overview of the used estimation algorithms.

Usage

```
mHMM(
  s_data,
  gen,
  xx = NULL,
  start_val,
  mcmc,
  return_path = FALSE,
  print_iter,
  show_progress = TRUE,
  gamma_hyp_prior = NULL,
  emiss_hyp_prior = NULL,
  gamma_sampler = NULL,
  emiss_sampler = NULL
)
```

Arguments

<code>s_data</code>	A matrix containing the observations to be modeled, where the rows represent the observations over time. In <code>s_data</code> , the first column indicates subject id number. Hence, the id number is repeated over rows equal to the number of observations for that subject. The subsequent columns contain the dependent variable(s). Note that the dependent variables have to be numeric, i.e., they cannot be a (set of) factor variable(s). The total number of rows are equal to the sum over the number of observations of each subject, and the number of columns are equal to the number of dependent variables (<code>n_dep</code>) + 1. The number of observations can vary over subjects.
<code>gen</code>	List containing the following elements denoting the general model properties: <ul style="list-style-type: none"> • <code>m</code>: numeric vector with length 1 denoting the number of hidden states • <code>n_dep</code>: numeric vector with length 1 denoting the number of dependent variables • <code>q_emiss</code>: numeric vector with length <code>n_dep</code> denoting the number of observed categories for the categorical emission distribution for each of the dependent variables.
<code>xx</code>	An optional list of (level 2) covariates to predict the transition matrix and/or the emission probabilities. Level 2 covariate(s) means that there is one observation per subject of each covariate. The first element in the list <code>xx</code> is used to predict the transition matrix. Subsequent elements in the list are used to predict the emission distribution of (each of) the dependent variable(s). Each element in the list is a matrix, with the number of rows equal to the number of subjects. The first column of each matrix represents the intercept, that is, a column only

consisting of ones. Subsequent columns correspond to covariates used to predict the transition matrix / emission distribution. See *Details* for more information on the use of covariates.

If `xx` is omitted completely, `xx` defaults to `NULL`, resembling no covariates. Specific elements in the list can also be left empty (i.e., set to `NULL`) to signify that either the transition probability matrix or a specific emission distribution is not predicted by covariates.

<code>start_val</code>	List containing the start values for the transition probability matrix <code>gamma</code> and the emission distribution(s). The first element of the list contains a <code>m</code> by <code>m</code> matrix with the start values for <code>gamma</code> . The subsequent elements contain <code>m</code> by <code>q_emiss[k]</code> matrices for the start values for each of the <code>k</code> in <code>n_dep</code> emission distribution(s). Note that <code>start_val</code> should not contain nested lists (i.e., lists within lists).
<code>mcmc</code>	List of Markov chain Monte Carlo (MCMC) arguments, containing the following elements: <ul style="list-style-type: none"> • <code>J</code>: numeric vector with length 1 denoting the number of iterations of the MCMC algorithm • <code>burn_in</code>: numeric vector with length 1 denoting the burn-in period for the MCMC algorithm.
<code>return_path</code>	A logical scalar. Should the sampled state sequence obtained at each iteration and for each subject be returned by the function (<code>sample_path = TRUE</code>) or not (<code>sample_path = FALSE</code>). Note that the sampled state sequence is quite a large object, hence the default setting is <code>sample_path = FALSE</code> . Can be used for local decoding purposes.
<code>print_iter</code>	The argument <code>print_iter</code> is deprecated; please use <code>show_progress</code> instead to show the progress of the algorithm.
<code>show_progress</code>	A logical scalar. Should the function show a text progress bar in the R console to represent the progress of the algorithm (<code>show_progress = TRUE</code>) or not (<code>show_progress = FALSE</code>). Defaults to <code>show_progress = TRUE</code> .
<code>gamma_hyp_prior</code>	An optional object of class <code>mHMM_prior_gamma</code> containing user specified parameter values for the hyper-prior distribution on the transition probability matrix <code>gamma</code> , generated by the function <code>prior_gamma</code> .
<code>emiss_hyp_prior</code>	An optional object of the class <code>mHMM_prior_emiss</code> containing user specified parameter values for the hyper-prior distribution on categorical the emission distribution, generated by the function <code>prior_emiss_cat</code> .
<code>gamma_sampler</code>	An optional object of the class <code>mHMM_pdRW_gamma</code> containing user specified settings for the proposal distribution of the random walk (RW) Metropolis sampler on the subject level transition probability matrix parameters, generated by the function <code>pd_RW_gamma</code> .
<code>emiss_sampler</code>	An optional object of the class <code>mHMM_pdRW_emiss</code> containing user specified settings for the proposal distribution of the random walk (RW) Metropolis sampler on the subject level emission distribution(s) parameters, generated by the function <code>pd_RW_emiss_cat</code> .

Details

Covariates specified in `xx` can either be dichotomous or continuous variables. Dichotomous variables have to be coded as 0/1 variables. Categorical or factor variables can as yet not be used as predictor covariates. The user can however break up the categorical variable in multiple dummy variables (i.e., dichotomous variables), which can be used simultaneously in the analysis. Continuous predictors are automatically centered. That is, the mean value of the covariate is subtracted from all values of the covariate such that the new mean equals zero. This is done such that the presented probabilities in the output (i.e., for the population transition probability matrix and population emission probabilities) correspond to the predicted probabilities at the average value of the covariate(s).

Value

mHMM returns an object of class mHMM, which has `print` and `summary` methods to see the results. The object contains the following components:

`PD_subj` A list containing one matrix per subject with the subject level parameter estimates and the log likelihood over the iterations of the hybrid Metropolis within Gibbs sampler. The iterations of the sampler are contained in the rows, and the columns contain the subject level (parameter) estimates of subsequently the emission probabilities, the transition probabilities and the log likelihood.

`gamma_prob_bar` A matrix containing the group level parameter estimates of the transition probabilities over the iterations of the hybrid Metropolis within Gibbs sampler. The iterations of the sampler are contained in the rows, and the columns contain the group level parameter estimates. If covariates were included in the analysis, the group level probabilities represent the predicted probability given that the covariate is at the average value for continuous covariates, or given that the covariate equals zero for dichotomous covariates.

`gamma_int_bar` A matrix containing the group level intercepts of the Multinomial logistic regression modeling the transition probabilities over the iterations of the hybrid Metropolis within Gibbs sampler. The iterations of the sampler are contained in the rows, and the columns contain the group level intercepts.

`gamma_cov_bar` A matrix containing the group level regression coefficients of the Multinomial logistic regression predicting the transition probabilities over the iterations of the hybrid Metropolis within Gibbs sampler. The iterations of the sampler are contained in the rows, and the columns contain the group level regression coefficients.

`gamma_int_subj` A list containing one matrix per subject denoting the subject level intercepts of the Multinomial logistic regression modeling the transition probabilities over the iterations of the hybrid Metropolis within Gibbs sampler. The iterations of the sampler are contained in the rows, and the columns contain the subject level intercepts.

`gamma_naccept` A matrix containing the number of accepted draws at the subject level RW Metropolis step for each set of parameters of the transition probabilities. The subjects are contained in the rows, and the columns contain the sets of parameters.

`emiss_prob_bar` A list containing one matrix per dependent variable, denoting the group level emission probabilities of each dependent variable over the iterations of the hybrid Metropolis within Gibbs sampler. The iterations of the sampler are contained in the rows of the matrix, and the columns contain the group level emission probabilities. If covariates were included in the analysis, the group level probabilities represent the predicted probability given that the

covariate is at the average value for continuous covariates, or given that the covariate equals zero for dichotomous covariates.

`emiss_int_bar` A list containing one matrix per dependent variable, denoting the group level intercepts of each dependent variable of the Multinomial logistic regression modeling the probabilities of the emission distribution over the iterations of the hybrid Metropolis within Gibbs sampler. The iterations of the sampler are contained in the rows of the matrix, and the columns contain the group level intercepts.

`emiss_cov_bar` A list containing one matrix per dependent variable, denoting the group level regression coefficients of the Multinomial logistic regression predicting the emission probabilities within each of the dependent variables over the iterations of the hybrid Metropolis within Gibbs sampler. The iterations of the sampler are contained in the rows of the matrix, and the columns contain the group level regression coefficients.

`emiss_int_subj` A list containing one list per subject denoting the subject level intercepts of each dependent variable of the Multinomial logistic regression modeling the probabilities of the emission distribution over the iterations of the hybrid Metropolis within Gibbs sampler. Each lower level list contains one matrix per dependent variable, in which iterations of the sampler are contained in the rows, and the columns contain the subject level intercepts.

`emiss_naccept` A list containing one matrix per dependent variable with the number of accepted draws at the subject level RW Metropolis step for each set of parameters of the emission distribution. The subjects are contained in the rows, and the columns of the matrix contain the sets of parameters.

`input` Overview of used input specifications: the number of states m , the number of used dependent variables n_{dep} , the number of output categories for each of the dependent variables q_{emiss} , the number of iterations J and the specified burn in period `burn_in` of the hybrid Metropolis within Gibbs sampler, the number of subjects n_{subj} , the observation length for each subject n_{vary} , and the column names of the dependent variables `dep_labels`.

`sample_path` A list containing one matrix per subject with the sampled hidden state sequence over the hybrid Metropolis within Gibbs sampler. The time points of the dataset are contained in the rows, and the sampled paths over the iterations are contained in the columns. Only returned if `return_path = TRUE`.

References

- Rabiner LR (1989). "A tutorial on hidden Markov models and selected applications in speech recognition." *Proceedings of the IEEE*, **77**(2), 257–286.
- Scott SL (2002). "Bayesian methods for hidden Markov models: Recursive computing in the 21st century." *Journal of the American Statistical Association*, **97**(457), 337–351.
- Altman RM (2007). "Mixed hidden Markov models: an extension of the hidden Markov model to the longitudinal data setting." *Journal of the American Statistical Association*, **102**(477), 201–210.
- Rossi PE, Allenby GM, McCulloch R (2012). *Bayesian statistics and marketing*. John Wiley & Sons.
- Zucchini W, MacDonald IL, Langrock R (2017). *Hidden Markov models for time series: an introduction using R*. Chapman and Hall/CRC.


```

xx <- c(list(matrix(1, ncol = 1, nrow = n_subj)), xx_emiss)
out_2st_c <- mHMM(s_data = nonverbal, xx = xx,
                 gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                 start_val = c(list(start_TM), start_EM),
                 mcmc = list(J = 11, burn_in = 5))

##### Example on simulated data
# Simulate data for 10 subjects with each 100 observations:
n_t <- 100
n <- 10
m <- 2
n_dep <- 1
q_emiss <- 3
gamma <- matrix(c(0.8, 0.2,
                  0.3, 0.7), ncol = m, byrow = TRUE)
emiss_distr <- list(matrix(c(0.5, 0.5, 0.0,
                            0.1, 0.1, 0.8), nrow = m, ncol = q_emiss, byrow = TRUE))
data1 <- sim_mHMM(n_t = n_t, n = n, gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                 gamma = gamma, emiss_distr = emiss_distr, var_gamma = .5, var_emiss = .5)

# Specify remaining required analysis input (for the example, we use simulation
# input as starting values):
n_dep <- 1
q_emiss <- 3

# Run the model on the simulated data:
out_2st_sim <- mHMM(s_data = data1$obs,
                   gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                   start_val = c(list(gamma), emiss_distr),
                   mcmc = list(J = 11, burn_in = 5))

```

mHMMbayes

mHMMbayes: multilevel hidden Markov models using Bayesian estimation.

Description

With the R package mHMMbayes you can fit multilevel hidden Markov models. The multilevel hidden Markov model (HMM) is a generalization of the well-known hidden Markov model, tailored to accommodate (intense) longitudinal data of multiple individuals simultaneously. Using a multilevel framework, we allow for heterogeneity in the model parameters (transition probability matrix and conditional distribution), while estimating one overall HMM. The model has a great potential of application in many fields, such as the social sciences and medicine. The model can be fitted on multivariate data with a categorical distribution, and include individual level covariates (allowing for e.g., group comparisons on model parameters). Parameters are estimated using Bayesian estimation utilizing the forward-backward recursion within a hybrid Metropolis within Gibbs sampler.

Details

The `mHMMbayes` package provides three main functions: `mHMM`, `sim_mHMM` and `vit_mHMM`, described below. For a more elaborate guide to the package `mHMMbayes`, see the tutorial-mhmm vignette: `vignette("tutorial-mhmm", package = "mHMMbayes")`. For extensive information on the estimation of the parameters in the package, see the estimation-mhmm vignette: `vignette("estimation-mhmm", package = "mHMMbayes")`.

mHMM

The function `mHMM` fits a multilevel hidden Markov model to (intense longitudinal) data from multiple subjects using Bayesian estimation. By using a multilevel framework, one general 'population' HMM is estimated, while heterogeneity between subjects is accommodated. The function can handle covariates at the subject level varying observation lengths over subjects. Estimation is performed using a hybrid Metropolis within Gibbs sampler, and completes the forward backward algorithm for all subjects in a sequential manner.

sim_mHMM

The function `sim_mHMM` simulates data for multiple subjects, for which the data have categorical observations that follow a hidden Markov model (HMM) with an multilevel structure. The multilevel structure implies that each subject is allowed to have it's own set of parameters, and that the parameters at the subject level (level 1) are tied together by a population distribution at level 2 for each of the corresponding parameters. The shape of the population distribution for each of the parameters is a normal (i.e., Gaussian) distribution. In addition to (natural and/or unexplained) heterogeneity between subjects, the subjects parameters can also depend on a (set of) covariate(s).

vit_mHMM

The function `vit_mHMM` obtains the most likely hidden state sequence for each subject, given the data and the subject specific parameter estimates. The function does this by utilizing the Viterbi algorithm.

nonverbal

Nonverbal communication of patients and therapist

Description

A dataset containing the nonverbal communication of 10 patient-therapist couples, recorded for 15 minutes at a frequency of 1 observation per second (= 900 observations per couple).

Usage

nonverbal

Format

A matrix with 10 * 900 rows and 5 variables:

id id variable of patient - therapist couple to distinguish which observation belongs to which couple

p_verbalizing verbalizing behavior of the patient, consisting of 1 = not verbalizing, 2 = verbalizing, 3 = back channeling

p_looking looking behavior of the patient, consisting of 1 = not looking at therapist, 2 = looking at therapist

t_verbalizing verbalizing behavior of the therapist, consisting of 1 = not verbalizing, 2 = verbalizing, 3 = back channeling

t_looking looking behavior of the therapist, consisting of 1 = not looking at patient, 2 = looking at patient

nonverbal_cov

Predictors of nonverbal communication

Description

A dataset containing predictors of nonverbal communication of 10 patient-therapist couples.

Usage

nonverbal_cov

Format

A matrix with 10 rows and 3 variables:

diagnosis Diagnosis of the patient, consisting of 0 = depression, 1 = anxiety

std_CDI_change Change in measure for depression (CDI) before and after therapy, standardized scale

std_SCA_change Change in measure for anxiety (SCARED) before and after therapy, standardized scale

obtain_emiss	<i>Obtain the emission distribution probabilities for a fitted multilevel HMM</i>
--------------	---

Description

obtain_emiss obtains the emission distribution for a fitted multilevel hidden Markov model, for either the group level, i.e., representing the average emission distribution over all subjects, or at the subject level, returning the emission distribution for each subject.

Usage

```
obtain_emiss(object, level = "group", burn_in = NULL)
```

Arguments

object	An object of class mHMM, generated by the function mHMM .
level	String specifying if the returned transition probability matrix gamma should be at the group level (level = "group"), i.e., representing the average transition probability matrix over all subjects, or at the subject level (level = "subject").
burn_in	An integer which specifies the number of iterations to discard when obtaining the model parameter summary statistics. When left unspecified (burn_in = NULL), the burn in period specified when creating the mHMM object will be used.

Value

obtain_emiss returns the object est_emiss. Depending on the specification at the input variable level, est_emiss is either a list of matrices with the emission distribution at the group level (if level = "group") for each dependent variable, or a list of lists, where for each dependent variable a list is returned with the number of elements equal to the number of subjects analyzed, if level = 'subject'). In the latter scenario, each matrix in the lower level list represents the subject specific emission distribution for a specific dependent variable.

See Also

[mHMM](#) for fitting the multilevel hidden Markov model.

Examples

```
##### Example on package data, see ?nonverbal

# specifying general model properties:
m <- 2
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)

# specifying starting values
start_TM <- diag(.8, m)
```

```

start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .2
start_EM <- list(matrix(c(0.05, 0.90, 0.05,
                        0.90, 0.05, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[1]), # vocalizing patient
matrix(c(0.1, 0.9,
        0.1, 0.9), byrow = TRUE, nrow = m,
        ncol = q_emiss[2]), # looking patient
matrix(c(0.90, 0.05, 0.05,
        0.05, 0.90, 0.05), byrow = TRUE,
        nrow = m, ncol = q_emiss[3]), # vocalizing therapist
matrix(c(0.1, 0.9,
        0.1, 0.9), byrow = TRUE, nrow = m,
        ncol = q_emiss[4])) # looking therapist

# Run a model without covariate(s):
out_2st <- mHMM(s_data = nonverbal,
               gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
               start_val = c(list(start_TM), start_EM),
               mcmc = list(J = 11, burn_in = 5))

out_2st
summary(out_2st)

# obtaining the emission probabilities at the group and subject level
obtain_emiss(out_2st, level = "group")
obtain_emiss(out_2st, level = "subject")

```

obtain_gamma

Obtain the transition probabilities gamma for a fitted multilevel HMM

Description

obtain_gamma obtains the transition probability matrix for a fitted multilevel hidden Markov model, for either the group level, i.e., representing the average transition probability matrix over all subjects, or at the subject level, returning the transition probability matrices for each subject.

Usage

```
obtain_gamma(object, level = "group", burn_in = NULL)
```

Arguments

object	An object of class mHMM, generated by the function mHMM .
level	String specifying if the returned transition probability matrix gamma should be at the group level (level = "group"), i.e., representing the average transition probability matrix over all subjects, or at the subject level (level = "subject").

`burn_in` An integer which specifies the number of iterations to discard when obtaining the model parameter summary statistics. When left unspecified (`burn_in = NULL`), the burn in period specified when creating the `mHMM` object will be used.

Value

`obtain_gamma` returns the object `est_gamma` of the class `mHMM_gamma`. This object can be directly plotted using the function `plot.mHMM_gamma()`, or simply `plot()`. Depending on the specification at the input variable `level`, `est_gamma` is either a matrix with the transition probabilities at the group level (if `level = "group"`), or a list of matrices (with the number of elements equal to the number of subjects analyzed, if `level = 'subject'`), where each matrix in the list represents a subject specific transition probability matrix.

See Also

`mHMM` for fitting the multilevel hidden Markov model, and `plot.mHMM_gamma` for plotting the obtained transition probabilities.

Examples

```
##### Example on package data, see ?nonverbal

# specifying general model properties:
m <- 2
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)

# specifying starting values
start_TM <- diag(.8, m)
start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .2
start_EM <- list(matrix(c(0.05, 0.90, 0.05,
                        0.90, 0.05, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[1]), # vocalizing patient
                 matrix(c(0.1, 0.9,
                        0.1, 0.9), byrow = TRUE, nrow = m,
                        ncol = q_emiss[2]), # looking patient
                 matrix(c(0.90, 0.05, 0.05,
                        0.05, 0.90, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[3]), # vocalizing therapist
                 matrix(c(0.1, 0.9,
                        0.1, 0.9), byrow = TRUE, nrow = m,
                        ncol = q_emiss[4])) # looking therapist

# Run a model without covariate(s):
out_2st <- mHMM(s_data = nonverbal,
               gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
               start_val = c(list(start_TM), start_EM),
               mcmc = list(J = 11, burn_in = 5))

out_2st
summary(out_2st)
```

```
# obtaining the transition probabilities at the group and subject level
obtain_gamma(out_2st, level = "group")
obtain_gamma(out_2st, level = "subject")
```

pd_RW_emiss_cat	<i>Proposal distribution settings RW Metropolis sampler for mHMM categorical emission distribution(s)</i>
-----------------	---

Description

pd_RW_emiss_cat provides a framework to manually specify the settings of the proposal distribution of the random walk (RW) Metropolis sampler of the emission distribution(s) of the multilevel hidden Markov model, and creates an object of the class mHMM_pdRW_emiss. The RW metropolis sampler is used for sampling the subject level parameter estimates relating to the emission distributions of the dependent variables k , that is, the Multinomial logistic regression intercepts.

Usage

```
pd_RW_emiss_cat(gen, emiss_int_mle0, emiss_scalar, emiss_w)
```

Arguments

gen	List containing the following elements denoting the general model properties: <ul style="list-style-type: none"> • m: numeric vector with length 1 denoting the number of hidden states • n_dep: numeric vector with length 1 denoting the number of dependent variables • q_emiss: numeric vector with length n_dep denoting the number of observed categories for the categorical emission distribution for each of the dependent variables.
emiss_int_mle0	A list containing n_dep elements corresponding to each of the dependent variables k , where each element is a matrix with m rows and $q_emiss[k] - 1$ columns denoting the starting values for the maximum likelihood (ML) estimates of the Multinomial logit regression intercepts of the emission distribution(s). ML parameters to be estimated are based on the pooled data (data over all subjects).
emiss_scalar	A list containing n_dep elements corresponding to each of the dependent variables, where each element is a numeric vector with length 1 denoting the scale factor s . That is, the scale of the proposal distribution is composed of a covariance matrix Σ , which is then tuned by multiplying it by a scaling factor s^2 .
emiss_w	A list containing n_dep elements corresponding to each of the dependent variables, where each element is a numeric vector with length 1 denoting the weight for the overall log likelihood (i.e., log likelihood based on the pooled data over all subjects) in the fractional likelihood.

Details

When no manual values for the settings of the proposal distribution of the random walk (RW) Metropolis sampler are specified at all (that is, the function `pd_RW_emiss_cat` is not used), all elements in `emiss_int_mle0` set to 0, `emiss_scalar` set to $2.93 / \sqrt{q_emiss[k] - 1}$, and `emiss_w` set to 0.1. See the section *Scaling the proposal distribution of the RW Metropolis sampler* in `vignette("estimation-mhmm")` for details.

Within the function `mHMM`, the acceptance rate of the RW metropolis sampler relating to the emission distribution(s) can be tracked using the output parameter `emiss_naccept`. An acceptance rate of about 23% is considered optimal when many parameters are being updated at once (Gelman, Carlin, Stern & Rubin, 2014).

Value

`pd_RW_emiss_cat` returns an object of class `mHMM_pdRW_emiss`, containing settings of the proposal distribution of the random walk (RW) Metropolis sampler on the categorical emission distribution(s) of the multilevel hidden Markov model. The object is specifically created and formatted for use by the function `mHMM`, and checked for correct input dimensions. The object contains the following components:

`gen` A list containing the elements `m`, `n_dep`, and `q_emiss`, used for checking equivalent general model properties specified under `pd_RW_emiss_cat` and `mHMM`.

`emiss_int_mle0` A list containing `n_dep` elements, where each element is a matrix containing the starting values for the maximum likelihood (ML) estimates of the Multinomial logit regression intercepts of the emission distribution(s).

`emiss_scalar` A list containing `n_dep` elements denoting the scale factor `s` of the proposal distribution.

`emiss_w` A list containing `n_dep` elements denoting denoting the weight for the overall log likelihood in the fractional likelihood.

References

Gelman A, Carlin JB, Stern HS, Rubin DB (2014). *Bayesian Data Analysis vol. 2*. Taylor & Francis.

Rossi PE, Allenby GM, McCulloch R (2012). *Bayesian statistics and marketing*. John Wiley & Sons.

Examples

```
##### Example using package example data, see ?nonverbal
# specifying general model properties:
m <- 3
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)

# specifying manual values for RW metropolis sampler on emission distributions
emiss_int_mle0 <- list(matrix(c( 2,  0,
                              -2, -2,
                              0, -1), byrow = TRUE, nrow = m, ncol = q_emiss[1] - 1),
```

```

matrix(c( 2,
         2,
         2), byrow = TRUE, nrow = m, ncol = q_emiss[2] - 1),
matrix(c(-2, -2,
         2, 0,
         0, -1), byrow = TRUE, nrow = m, ncol = q_emiss[3] - 1),
matrix(c( 2,
         2,
         2), byrow = TRUE, nrow = m, ncol = q_emiss[4] - 1))
emiss_scalar <- list(c(2), c(3), c(2), c(3))
emiss_w <- rep(list(c(0.2)), n_dep)
manual_emiss_sampler <- pd_RW_emiss_cat(gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                                       emiss_int_mle0 = emiss_int_mle0,
                                       emiss_scalar = emiss_scalar,
                                       emiss_w = emiss_w)

# specifying starting values
start_TM <- diag(.7, m)
start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .1
start_EM <- list(matrix(c(0.05, 0.90, 0.05,
                        0.90, 0.05, 0.05,
                        0.55, 0.45, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[1]), # vocalizing patient
matrix(c(0.1, 0.9,
         0.1, 0.9,
         0.1, 0.9), byrow = TRUE, nrow = m,
         ncol = q_emiss[2]), # looking patient
matrix(c(0.90, 0.05, 0.05,
         0.05, 0.90, 0.05,
         0.55, 0.45, 0.05), byrow = TRUE,
         nrow = m, ncol = q_emiss[3]), # vocalizing therapist
matrix(c(0.1, 0.9,
         0.1, 0.9,
         0.1, 0.9), byrow = TRUE, nrow = m,
         ncol = q_emiss[4])) # looking therapist

# Note that for reasons of running time, J is set at a ridiculous low value.
# One would typically use a number of iterations J of at least 1000,
# and a burn_in of 200.

out_3st_RWemiss <- mHMM(s_data = nonverbal,
                       gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                       start_val = c(list(start_TM), start_EM),
                       emiss_sampler = manual_emiss_sampler,
                       mcmc = list(J = 11, burn_in = 5))

out_3st_RWemiss
summary(out_3st_RWemiss)

# checking acceptance rate (for illustrative purposes, in the example,
# J is too low for getting a fair indication)

```

```

div_J <- function(x, J) x / J
J_it <- 11 - 1 # accept/reject starts at iteration 2 of MCMC algorithm
RW_emiss_accept <- sapply(out_3st_RWemiss$emiss_naccept, div_J, J_it, simplify = FALSE)

# average acceptance rate over all subjects per parameter
# rows represent each of the n_dep dependent variables, columns represent the m states
t(sapply(RW_emiss_accept, apply, MARGIN = 2, mean, simplify = FALSE))

```

pd_RW_gamma	<i>Proposal distribution settings RW Metropolis sampler for mHMM transition probability matrix gamma</i>
-------------	--

Description

pd_RW_gamma provides a framework to manually specify the settings of the proposal distribution of the random walk (RW) Metropolis sampler of the transition probability matrix gamma of the multilevel hidden Markov model, and creates an object of the class mHMM_pdRW_gamma. The RW metropolis sampler is used for sampling the subject level parameter estimates relating to the transition probability matrix gamma, that is, the Multinomial logistic regression intercepts.

Usage

```
pd_RW_gamma(m, gamma_int_mle0, gamma_scalar, gamma_w)
```

Arguments

m	Numeric vector with length 1 denoting the number of hidden states.
gamma_int_mle0	A matrix with m rows and m - 1 columns denoting the starting values for the maximum likelihood (ML) estimates of the Multinomial logit regression intercepts of the transition probability matrix gamma. ML parameters to be estimated are based on the pooled data (data over all subjects).
gamma_scalar	A numeric vector with length 1 denoting the scale factor s. That is, the scale of the proposal distribution is composed of a covariance matrix Sigma, which is then tuned by multiplying it by a scaling factor s^2.
gamma_w	A numeric vector with length 1 denoting the weight for the overall log likelihood (i.e., log likelihood based on the pooled data over all subjects) in the fractional likelihood.

Details

When no manual values for the settings of the proposal distribution of the random walk (RW) Metropolis sampler are specified at all (that is, the function pd_RW_gamma is not used), all elements in gamma_int_mle0 set to 0, gamma_scalar set to $2.93 / \sqrt{m - 1}$, and gamma_w set to 0.1. See the section *Scaling the proposal distribution of the RW Metropolis sampler* in vignette("estimation-mhmm") for details.

Within the function `mHMM`, the acceptance rate of the RW metropolis sampler relating to the transition probability matrix `gamma` can be tracked using the output parameter `gamma_naccept`. An acceptance rate of about 23% is considered optimal when many parameters are being updated at once (Gelman, Carlin, Stern & Rubin, 2014).

Value

`pd_RW_gamma` returns an object of class `mHMM_pdRW_gamma`, containing settings of the proposal distribution of the random walk (RW) Metropolis sampler on the transition probability matrix `gamma` of the multilevel hidden Markov model. The object is specifically created and formatted for use by the function `mHMM`, and checked for correct input dimensions. The object contains the following components:

`m` Numeric vector denoting the number of hidden states, used for checking equivalent general model properties specified under `pd_RW_gamma` and `mHMM`.

`gamma_int_mle0` A matrix containing the starting values for the maximum likelihood (ML) estimates of the Multinomial logit regression intercepts of the transition probability matrix `gamma`.

`gamma_scalar` A numeric vector with length 1 denoting the scale factor `s` of the proposal distribution.

`gamma_w` A numeric vector with length 1 denoting denoting the weight for the overall log likelihood in the fractional likelihood.

References

Gelman A, Carlin JB, Stern HS, Rubin DB (2014). *Bayesian Data Analysis vol. 2*. Taylor & Francis.

Rossi PE, Allenby GM, McCulloch R (2012). *Bayesian statistics and marketing*. John Wiley & Sons.

Examples

```
##### Example using package example data, see ?nonverbal
# specifying general model properties:
m <- 3

# specifying manual values for RW metropolis sampler on gamma
gamma_int_mle0 <- matrix(c( -2, -2,
                          2,  0,
                          0,  3), byrow = TRUE, nrow = m, ncol = m - 1)
gamma_scalar <- c(2)
gamma_w <- c(0.2)
manual_gamma_sampler <- pd_RW_gamma(m = m, gamma_int_mle0 = gamma_int_mle0,
                                   gamma_scalar = gamma_scalar,
                                   gamma_w = gamma_w)

# specifying starting values
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)
```

```

start_TM <- diag(.7, m)
start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .1
start_EM <- list(matrix(c(0.05, 0.90, 0.05,
                        0.90, 0.05, 0.05,
                        0.55, 0.45, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[1]), # vocalizing patient
matrix(c(0.1, 0.9,
        0.1, 0.9,
        0.1, 0.9), byrow = TRUE, nrow = m,
        ncol = q_emiss[2]), # looking patient
matrix(c(0.90, 0.05, 0.05,
        0.05, 0.90, 0.05,
        0.55, 0.45, 0.05), byrow = TRUE,
        nrow = m, ncol = q_emiss[3]), # vocalizing therapist
matrix(c(0.1, 0.9,
        0.1, 0.9,
        0.1, 0.9), byrow = TRUE, nrow = m,
        ncol = q_emiss[4])) # looking therapist

# Note that for reasons of running time, J is set at a ridiculous low value.
# One would typically use a number of iterations J of at least 1000,
# and a burn_in of 200.

out_3st_RWgamma <- mHMM(s_data = nonverbal,
                       gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                       start_val = c(list(start_TM), start_EM),
                       gamma_sampler = manual_gamma_sampler,
                       mcmc = list(J = 11, burn_in = 5))

out_3st_RWgamma
summary(out_3st_RWgamma)

# checking acceptance rate (for illustrative purposes, in the example,
# J is too low for getting a fair indication)
J_it <- 11 - 1 # accept/reject starts at iteration 2 of MCMC algorithm
out_3st_RWgamma$gamma_naccept / J_it
# average acceptance rate over all subjects per parameter
apply(out_3st_RWgamma$gamma_naccept / J_it, 2, mean)

```

plot.mHMM

Plotting the posterior densities for a fitted multilevel HMM

Description

plot.mHMM plots the posterior densities for a fitted multilevel hidden Markov model for the group and subject level parameters simultaneously. The plotted posterior densities are either for the transition probability matrix gamma, or for the emission distribution probabilities.

Usage

```
## S3 method for class 'mHMM'
plot(
  x,
  component = "gamma",
  dep = 1,
  col,
  cat_lab,
  dep_lab,
  lwd1 = 2,
  lwd2 = 1,
  lty1 = 1,
  lty2 = 3,
  legend_cex,
  burn_in,
  ...
)
```

Arguments

x	Object of class mHMM, generated by the function <code>mHMM</code> .
component	String specifying if the displayed posterior densities should be for the transition probability matrix gamma (component = "gamma"), or for the emission distribution probabilities (component = "emiss"). In case of the latter and the model is based on multiple dependent variables, the user has to indicate for which dependent variable the posterior densities have to be plotted, see <code>dep</code> .
dep	Integer specifying for which dependent variable the posterior densities should be plotted. Only required if one wishes to plot the emission distribution probabilities and the model is based on multiple dependent variables.
col	Vector of colors for the posterior density lines. If one is plotting the posterior densities for gamma, the vector has length <code>m</code> (i.e., number of hidden states). If one is plotting the posterior densities for the emission probabilities, the vector has length <code>q_emiss[k]</code> (i.e., the number of outcome categories for the dependent variable <code>k</code>).
cat_lab	Optional vector of strings when plotting the posterior densities of the emission probabilities, denoting the labels of the categorical outcome values. Automatically generated when not provided.
dep_lab	Optional string when plotting the posterior densities of the emission probabilities with length 1, denoting the label for the dependent variable plotted. Automatically obtained from the input object <code>x</code> when not specified.
lwd1	Positive number indicating the line width of the posterior density at the group level.
lwd2	Positive number indicating the line width of the posterior density at the subject level.
lty1	Positive number indicating the line type of the posterior density at the group level.

lty2	Positive number indicating the line type of the posterior density at the subject level.
legend_cex	A numerical value giving the amount by which plotting text and symbols in the legend should be magnified relative to the default.
burn_in	An integer which specifies the number of iterations to discard when obtaining the model parameter summary statistics. When left unspecified, the burn in period specified at creating the mHMM object with the function <code>mHMM</code> will be used.
...	Arguments to be passed to methods (see <code>par</code>)

Value

`plot.mHMM` returns a plot of the posterior densities. Depending on whether (`component = "gamma"`) or (`component = "emiss"`), the plotted posterior densities are either for the transition probability matrix `gamma` or for the emission distribution probabilities, respectively.

See Also

`mHMM` for fitting the multilevel hidden Markov model, creating the object `mHMM`.

Examples

```
##### Example on package example data, see ?nonverbal
# First run the function mHMM on example data

# specifying general model properties:
m <- 2
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)

# specifying starting values
start_TM <- diag(.8, m)
start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .2
start_EM <- list(matrix(c(0.05, 0.90, 0.05, 0.90, 0.05, 0.05), byrow = TRUE,
  nrow = m, ncol = q_emiss[1]), # vocalizing patient
  matrix(c(0.1, 0.9, 0.1, 0.9), byrow = TRUE, nrow = m,
  ncol = q_emiss[2]), # looking patient
  matrix(c(0.90, 0.05, 0.05, 0.05, 0.90, 0.05), byrow = TRUE,
  nrow = m, ncol = q_emiss[3]), # vocalizing therapist
  matrix(c(0.1, 0.9, 0.1, 0.9), byrow = TRUE, nrow = m,
  ncol = q_emiss[4])) # looking therapist

# Run a model without covariate(s):
out_2st <- mHMM(s_data = nonverbal, gen = list(m = m, n_dep = n_dep,
  q_emiss = q_emiss), start_val = c(list(start_TM), start_EM),
  mcmc = list(J = 11, burn_in = 5))

## plot the posterior densities for gamma
plot(out_2st, component = "gamma")
```

plot.mHMM_gamma	<i>Plotting the transition probabilities gamma for a fitted multilevel HMM</i>
-----------------	--

Description

plot.mHMM_gamma plots the transition probability matrix for a fitted multilevel hidden Markov model, by means of an alluvial plot (also known as Sankey diagram or riverplot) using the R package alluvial. The plotted transition probability matrix either represents the probabilities at the group level, i.e., representing the average transition probability matrix over all subjects, or at the subject level. In case of the latter, the user has to specify for which subject the transition probability matrix should be plotted.

Usage

```
## S3 method for class 'mHMM_gamma'
plot(x, subj_nr = NULL, cex = 0.8, col, hide, ...)
```

Arguments

x	An object of class mHMM_gamma, generated by the function obtain_gamma .
subj_nr	An integer specifying for which specific subject the transition probability matrix should be plotted. Only required if the input object represents the subject specific transition probability matrices.
cex	An integer specifying scaling of fonts of category labels. When not specified, defaults to cex = 0.8.
col	An optional vector with length $m * m$ (i.e., where m denotes the number of hidden states) specifying the used colors in the alluvial plot.
hide	An optional logical vector with length $m * m$ (i.e., where m denotes the number of hidden states) specifying whether particular stripes should be plotted. When not specified, omits the lines representing a value of exactly zero.
...	Arguments to be passed to alluvial (see alluvial)

Value

plot.mHMM_gamma returns a plot of the transition probability matrix. Depending on whether the input object represents the transition probabilities at the group level or the subject specific transition probability matrices, the returned plot represents either the group transition probability matrix, or the transition probability matrix for a given subject, specified by subject_nr.

See Also

[mHMM](#) for fitting the multilevel hidden Markov model, creating the object mHMM, and [obtain_gamma](#) to obtain the transition probabilities gamma for a fitted multilevel HMM, creating the object mHMM_gamma.

Examples

```

#' ##### Example on package data, see ?nonverbal
# specifying general model properties:
m <- 2
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)

# specifying starting values
start_TM <- diag(.8, m)
start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .2
start_EM <- list(matrix(c(0.05, 0.90, 0.05,
                        0.90, 0.05, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[1]), # vocalizing patient
matrix(c(0.1, 0.9,
        0.1, 0.9), byrow = TRUE, nrow = m,
        ncol = q_emiss[2]), # looking patient
matrix(c(0.90, 0.05, 0.05,
        0.05, 0.90, 0.05), byrow = TRUE,
        nrow = m, ncol = q_emiss[3]), # vocalizing therapist
matrix(c(0.1, 0.9,
        0.1, 0.9), byrow = TRUE, nrow = m,
        ncol = q_emiss[4])) # looking therapist

# Run a model without covariate(s):
out_2st <- mHMM(s_data = nonverbal,
               gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
               start_val = c(list(start_TM), start_EM),
               mcmc = list(J = 11, burn_in = 5))

out_2st
summary(out_2st)

# obtaining the transition probabilities at the group and subject level
est_gamma_group <- obtain_gamma(out_2st, level = "group")

# plot the obtained transition probabilities
plot(est_gamma_group, col = rep(c("green", "blue"), each = m))

```

prior_emiss_cat

Specifying informative hyper-prior on the categorical emission distribution(s) of the multilevel hidden Markov model

Description

prior_emiss_cat provides a framework to manually specify an informative hyper-prior on the categorical emission distribution(s), and creates an object of class `mHMM_prior_emiss` used by the

function `mHMM`. Note that the hyper-prior distribution on the categorical emission probabilities are on the intercepts (and, if subject level covariates are used, regression coefficients) of the Multinomial logit model used to accommodate the multilevel framework of the data, instead of on the probabilities directly. The set of hyper-prior distributions consists of a multivariate Normal hyper-prior distribution on the vector of means (i.e., intercepts and regression coefficients), and an Inverse Wishart hyper-prior distribution on the covariance matrix.

Usage

```
prior_emiss_cat(
  gen,
  emiss_mu0,
  emiss_K0 = NULL,
  emiss_nu = NULL,
  emiss_V = NULL,
  n_xx_emiss = NULL
)
```

Arguments

<code>gen</code>	<p>List containing the following elements denoting the general model properties:</p> <ul style="list-style-type: none"> • <code>m</code>: numeric vector with length 1 denoting the number of hidden states • <code>n_dep</code>: numeric vector with length 1 denoting the number of dependent variables • <code>q_emiss</code>: numeric vector with length <code>n_dep</code> denoting the number of observed categories for the categorical emission distribution for each of the dependent variables.
<code>emiss_mu0</code>	<p>A list of lists: <code>emiss_mu0</code> contains <code>n_dep</code> lists, i.e., one list for each dependent variable <code>k</code>. Each list <code>k</code> contains <code>m</code> matrices; one matrix for each set of emission probabilities within a state. The matrices contain the hypothesized hyper-prior mean values of the intercepts of the Multinomial logit model on the categorical emission probabilities. Hence, each matrix consists of one row (when not including covariates in the model) and <code>q_emiss[k] - 1</code> columns. If covariates are used, the number of rows in each matrix in the list is equal to <code>1 + n_xx</code> (i.e., the first row corresponds to the hyper-prior mean values of the intercepts, the subsequent rows correspond to the hyper-prior mean values of the regression coefficients connected to each of the covariates).</p>
<code>emiss_K0</code>	<p>Optional list containing <code>n_dep</code> elements corresponding to each dependent variable <code>k</code>. Each element <code>k</code> is a numeric vector with length 1 (when no covariates are used) denoting the number of hypothetical prior subjects on which the set of hyper-prior mean intercepts specified in <code>emiss_mu0</code> are based. When covariates are used: each element is a numeric vector with length <code>1 + n_xx</code> denoting the number of hypothetical prior subjects on which the set of intercepts (first value) and set of regression coefficients (subsequent values) are based.</p>
<code>emiss_nu</code>	<p>Optional list containing <code>n_dep</code> elements corresponding to each dependent variable <code>k</code>. Each element <code>k</code> is a numeric vector with length 1 denoting the degrees of freedom of the hyper-prior Inverse Wishart distribution on the covariance of the Multinomial logit intercepts.</p>

<code>emiss_V</code>	Optional list containing <code>n_dep</code> elements corresponding to each dependent variable <code>k</code> , where each element <code>k</code> is a matrix of <code>q_emiss[k] - 1</code> by <code>q_emiss[k] - 1</code> containing the variance-covariance of the hyper-prior Inverse Wishart distribution on the covariance of the Multinomial logit intercepts.
<code>n_xx_emiss</code>	Optional numeric vector with length <code>n_dep</code> denoting the number of (level 2) covariates used to predict the emission distribution of each of the dependent variables <code>k</code> . When omitted, the model assumes no covariates are used to predict the emission distribution(s).

Details

Estimation of the mHMM proceeds within a Bayesian context, hence a hyper-prior distribution has to be defined for the group level parameters. Default, non-informative priors are used unless specified otherwise by the user. For each dependent variable, each row of the categorical emission probability matrix (i.e., the probability to observe each category (columns) within each of the states (rows)) has its own set of Multinomial logit intercepts, which are assumed to follow a multivariate normal distribution. Hence, the hyper-prior distributions for the intercepts consists of a multivariate Normal hyper-prior distribution on the vector of means, and an Inverse Wishart hyper-prior distribution on the covariance matrix. Note that only the general model properties (number of states `m`, number of dependent variables `n_dep`, and number of observed categories for each dependent variable `q_emiss`) and values of the hypothesized hyper-prior mean values of the Multinomial logit intercepts have to be specified by the user, default values are available for all other hyper-prior distribution parameters.

Given that the hyper-priors are specified on the intercepts of the Multinomial logit model intercepts instead of on the categorical emission probabilities directly, specifying a hyper-prior can seem rather daunting. However, see the function [prob_to_int](#) and [int_to_prob](#) for translating probabilities to a set of Multinomial logit intercepts and vice versa.

Note that `emiss_K0`, `emiss_nu` and `emiss_V` are assumed equal over the states. When the hyper-prior values for `emiss_K0`, `emiss_nu` and `emiss_V` are not manually specified, the default values are as follows. `emiss_K0` set to 1, `emiss_nu` set to $3 + q_emiss[k] - 1$, and the diagonal of `gamma_V` (i.e., the variance) set to $3 + q_emiss[k] - 1$ and the off-diagonal elements (i.e., the covariance) set to 0. In addition, when no manual values for the hyper-prior on the categorical emission distribution are specified at all (that is, the function `prior_emiss_cat` is not used), all elements of the matrices contained in `emiss_mu0` are set to 0 in the function `mHMM`.

Note that in case covariates are specified, the hyper-prior parameter values of the inverse Wishart distribution on the covariance matrix remain unchanged, as the estimates of the regression coefficients for the covariates are fixed over subjects.

Value

`prior_emiss_cat` returns an object of class `mHMM_prior_emiss`, containing informative hyper-prior values for the categorical emission distribution(s) of the multilevel hidden Markov model. The object is specifically created and formatted for use by the function `mHMM`, and thoroughly checked for correct input dimensions. The object contains the following components:

`gen` A list containing the elements `m`, `n_dep`, and `q_emiss`, used for checking equivalent general model properties specified under `prior_emiss_cat` and `mHMM`.

`emiss_mu0` A list of lists containing the hypothesized hyper-prior mean values of the intercepts of the Multinomial logit model on the categorical emission probabilities.

`emiss_K0` A list containing `n_dep` elements denoting the number of hypothetical prior subjects on which the set of hyper-prior mean intercepts specified in `emiss_mu0` are based.

`emiss_nu` A list containing `n_dep` elements denoting the degrees of freedom of the hyper-prior Inverse Wishart distribution on the covariance of the Multinomial logit intercepts.

`emiss_V` A list containing `n_dep` elements containing the variance-covariance of the hyper-prior Inverse Wishart distribution on the covariance of the Multinomial logit intercepts.

`n_xx_emiss` A numeric vector denoting the number of (level 2) covariates used to predict the emission distribution of each of the dependent variables. When no covariates are used, `n_xx_emiss` equals `NULL`.

See Also

[prior_gamma](#) for manually specifying an informative hyper-prior on the transition probability matrix `gamma`, [prob_to_int](#) for transforming a set of probabilities to a set of Multinomial logit regression intercepts, and [mHMM](#) for fitting a multilevel hidden Markov model.

Examples

```
##### Example using package example data, see ?nonverbal
# specifying general model properties:
m <- 3
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)

# hypothesized mean emission probabilities
prior_prob_emiss_cat <- list(matrix(c(0.10, 0.80, 0.10,
                                     0.80, 0.10, 0.10,
                                     0.40, 0.40, 0.20), byrow = TRUE,
                                     nrow = m, ncol = q_emiss[1]), # vocalizing patient,
                             # prior belief: state 1 - much talking, state 2 -
                             # no talking, state 3 - mixed
                             matrix(c(0.30, 0.70,
                                       0.30, 0.70,
                                       0.30, 0.70), byrow = TRUE, nrow = m,
                                       ncol = q_emiss[2]), # looking patient
                             # prior belief: all 3 states show frequent looking
                             # behavior
                             matrix(c(0.80, 0.10, 0.10,
                                       0.10, 0.80, 0.10,
                                       0.40, 0.40, 0.20), byrow = TRUE,
                                       nrow = m, ncol = q_emiss[3]), # vocalizing therapist
                             # prior belief: state 1 - no talking, state 2 -
                             # frequent talking, state 3 - mixed
                             matrix(c(0.30, 0.70,
                                       0.30, 0.70,
                                       0.30, 0.70), byrow = TRUE, nrow = m,
                                       ncol = q_emiss[4])) # looking therapist
                             # prior belief: all 3 states show frequent looking
```

```

# behavior

# using the function prob_to_int to obtain intercept values for the above specified
# categorical emission distributions
prior_int_emiss <- sapply(prior_prob_emiss_cat, prob_to_int)
emiss_mu0 <- rep(list(vector(mode = "list", length = m)), n_dep)
for(k in 1:n_dep){
  for(i in 1:m){
    emiss_mu0[[k]][[i]] <- matrix(prior_int_emiss[[k]][i,], nrow = 1)
  }
}

emiss_K0 <- rep(list(c(1)), n_dep)
emiss_nu <- list(c(5), c(4), c(5), c(4))
emiss_V <- list(diag(5, q_emiss[1] - 1),
               diag(4, q_emiss[2] - 1),
               diag(5, q_emiss[3] - 1),
               diag(4, q_emiss[4] - 1))

manual_prior_emiss <- prior_emiss_cat(gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                                     emiss_mu0 = emiss_mu0, emiss_K0 = emiss_K0,
                                     emiss_nu = emiss_nu, emiss_V = emiss_V)

# using the informative hyper-prior in a model

# specifying starting values
start_TM <- diag(.7, m)
start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .1
start_EM <- list(matrix(c(0.05, 0.90, 0.05,
                        0.90, 0.05, 0.05,
                        0.55, 0.45, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[1]), # vocalizing patient
                matrix(c(0.1, 0.9,
                        0.1, 0.9,
                        0.1, 0.9), byrow = TRUE, nrow = m,
                        ncol = q_emiss[2]), # looking patient
                matrix(c(0.90, 0.05, 0.05,
                        0.05, 0.90, 0.05,
                        0.55, 0.45, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[3]), # vocalizing therapist
                matrix(c(0.1, 0.9,
                        0.1, 0.9,
                        0.1, 0.9), byrow = TRUE, nrow = m,
                        ncol = q_emiss[4])) # looking therapist

# Note that for reasons of running time, J is set at a ridiculous low value.
# One would typically use a number of iterations J of at least 1000,
# and a burn_in of 200.

out_3st_infemiss <- mHMM(s_data = nonverbal,
                        gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                        start_val = c(list(start_TM), start_EM),

```

```
emiss_hyp_prior = manual_prior_emiss,
mcmc = list(J = 11, burn_in = 5))
```

```
out_3st_infemiss
summary(out_3st_infemiss)
```

prior_gamma	<i>Specifying informative hyper-prior on the transition probability matrix gamma of the multilevel hidden Markov model</i>
-------------	--

Description

prior_gamma provides a framework to manually specify an informative hyper-prior on the transition probability matrix gamma, and creates an object of class mHMM_prior_gamma used by the function mHMM. Note that the hyper-prior distribution on the transition probabilities are on the intercepts (and, if subject level covariates are used, regression coefficients) of the Multinomial logit model used to accommodate the multilevel framework of the data, instead of on the probabilities directly. The set of hyper-prior distributions consists of a multivariate Normal hyper-prior distribution on the vector of means (i.e., intercepts and regression coefficients), and an Inverse Wishart hyper-prior distribution on the covariance matrix.

Usage

```
prior_gamma(
  m,
  gamma_mu0,
  gamma_K0 = NULL,
  gamma_nu = NULL,
  gamma_V = NULL,
  n_xx_gamma = NULL
)
```

Arguments

m	Numeric vector with length 1 denoting the number of hidden states.
gamma_mu0	A list containing m matrices; one matrix for each row of the transition probability matrix gamma. Each matrix contains the hypothesized hyper-prior mean values of the intercepts of the Multinomial logit model on the transition probabilities gamma. Hence, each matrix consists of one row (when not including covariates in the model) and m - 1 columns. If covariates are used, the number of rows in each matrix in the list is equal to 1 + n_xx_gamma (i.e., the first row corresponds to the hyper-prior mean values of the intercepts, the subsequent rows correspond to the hyper-prior mean values of the regression coefficients connected to each of the covariates).

gamma_K0	Optional numeric vector with length 1 (when no covariates are used) denoting the number of hypothetical prior subjects on which the set of hyper-prior mean intercepts specified in gamma_mu0 are based. When covariates are used: Numeric vector with length 1 + n_xx_gamma denoting the number of hypothetical prior subjects on which the set of intercepts (first value) and set of regression coefficients (subsequent values) are based.
gamma_nu	Optional numeric vector with length 1 denoting the degrees of freedom of the hyper-prior Inverse Wishart distribution on the covariance of the Multinomial logit intercepts.
gamma_V	Optional matrix of m - 1 by m - 1 containing the variance-covariance matrix of the hyper-prior Inverse Wishart distribution on the covariance of the Multinomial logit intercepts.
n_xx_gamma	Optional numeric vector with length 1 denoting the number of (level 2) covariates used to predict the transition probability matrix gamma. When omitted, the model assumes no covariates are used to predict gamma.

Details

Estimation of the mHMM proceeds within a Bayesian context, hence a hyper-prior distribution has to be defined for the group level parameters. Default, non-informative priors are used unless specified otherwise by the user. Each row of the transition probability matrix has its own set of Multinomial logit intercepts, which are assumed to follow a multivariate normal distribution. Hence, the hyper-prior distributions for the intercepts consists of a multivariate Normal hyper-prior distribution on the vector of means, and an Inverse Wishart hyper-prior distribution on the covariance matrix. Note that only the number of states m and values of the hypothesized hyper-prior mean values of the Multinomial logit intercepts have to be specified by the user, default values are available for all other hyper-prior distribution parameters.

Given that the hyper-priors are specified on the intercepts of the Multinomial logit model intercepts instead of on the probabilities of the transition probability matrix gamma directly, specifying a hyper-prior can seem rather daunting. However, see the function [prob_to_int](#) and [int_to_prob](#) for translating probabilities to a set of Multinomial logit intercepts and vice versa.

Note that gamma_K0, gamma_nu and gamma_V are assumed equal over the states. When the hyper-prior values for gamma_K0, gamma_nu and gamma_V are not manually specified, the default values are as follows. gamma_K0 set to 1, gamma_nu set to 3 + m - 1, and the diagonal of gamma_V (i.e., the variance) set to 3 + m - 1 and the off-diagonal elements (i.e., the covariance) set to 0. In addition, when no manual values for the hyper-prior on gamma are specified at all (that is, the function prior_gamma is not used), all elements of the matrices contained in gamma_mu0 are set to 0 in the function mHMM.

Note that in case covariates are specified, the hyper-prior parameter values of the inverse Wishart distribution on the covariance matrix remain unchanged, as the estimates of the regression coefficients for the covariates are fixed over subjects.

Value

prior_gamma returns an object of class mHMM_prior_gamma, containing informative hyper-prior values for the transition probability matrix gamma of the multilevel hidden Markov model. The object is specifically created and formatted for use by the function mHMM, and thoroughly checked for correct input dimensions. The object contains the following components:

- m Numeric vector denoting the number of hidden states, used for checking equivalent general model properties specified under `prior_gamma` and `mHMM`.
- `gamma_mu0` A list containing the hypothesized hyper-prior mean values of the intercepts of the Multinomial logit model on the transition probability matrix `gamma`.
- `gamma_K0` A numeric vector denoting the number of hypothetical prior subjects on which the set of hyper-prior mean intercepts specified in `gamma_mu0` are based.
- `gamma_nu` A numeric vector denoting the degrees of freedom of the hyper-prior Inverse Wishart distribution on the covariance of the Multinomial logit intercepts.
- `gamma_V` A matrix containing the variance-covariance of the hyper-prior Inverse Wishart distribution on the covariance of the Multinomial logit intercepts.
- `n_xx_gamma` A numeric vector denoting the number of (level 2) covariates used to predict the transition probability matrix `gamma`. When no covariates are used, `n_xx_gamma` equals `NULL`.

See Also

[prior_emiss_cat](#) for manually specifying an informative hyper-prior on the categorical emission distribution(s), [prob_to_int](#) for transforming a set of probabilities to a set of Multinomial logit regression intercepts, and [mHMM](#) for fitting a multilevel hidden Markov model.

Examples

```
##### Example using package example data, see ?nonverbal
# specifying general model properties:
m <- 3
# representing a prior belief that switching to state 3 does not occur often and
# state 3 has a relative short duration
prior_prob_gamma <- matrix(c(0.70, 0.25, 0.05,
                             0.25, 0.70, 0.05,
                             0.30, 0.30, 0.40), nrow = m, ncol = m, byrow = TRUE)

# using the function prob_to_int to obtain intercept values for the above specified
# transition probability matrix gamma
prior_int_gamma <- prob_to_int(prior_prob_gamma)
gamma_mu0 <- list(matrix(prior_int_gamma[1,], nrow = 1, ncol = m-1),
                  matrix(prior_int_gamma[2,], nrow = 1, ncol = m-1),
                  matrix(prior_int_gamma[3,], nrow = 1, ncol = m-1))

gamma_K0 <- 1
gamma_nu <- 5
gamma_V <- diag(5, m - 1)

manual_prior_gamma <- prior_gamma(m = m, gamma_mu0 = gamma_mu0,
                                  gamma_K0 = gamma_K0, gamma_nu = gamma_nu,
                                  gamma_V = gamma_V)

# using the informative hyper-prior in a model
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)
```

```

# specifying starting values
start_TM <- diag(.7, m)
start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .1
start_EM <- list(matrix(c(0.05, 0.90, 0.05,
                        0.90, 0.05, 0.05,
                        0.55, 0.45, 0.05), byrow = TRUE,
                        nrow = m, ncol = q_emiss[1]), # vocalizing patient
matrix(c(0.1, 0.9,
        0.1, 0.9,
        0.1, 0.9), byrow = TRUE, nrow = m,
        ncol = q_emiss[2]), # looking patient
matrix(c(0.90, 0.05, 0.05,
        0.05, 0.90, 0.05,
        0.55, 0.45, 0.05), byrow = TRUE,
        nrow = m, ncol = q_emiss[3]), # vocalizing therapist
matrix(c(0.1, 0.9,
        0.1, 0.9,
        0.1, 0.9), byrow = TRUE, nrow = m,
        ncol = q_emiss[4])) # looking therapist

# Note that for reasons of running time, J is set at a ridiculous low value.
# One would typically use a number of iterations J of at least 1000,
# and a burn_in of 200.

out_3st_infgamma <- mHMM(s_data = nonverbal,
                        gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                        start_val = c(list(start_TM), start_EM),
                        gamma_hyp_prior = manual_prior_gamma,
                        mcmc = list(J = 11, burn_in = 5))

out_3st_infgamma
summary(out_3st_infgamma)

```

prob_to_int

Transforming a set of probabilities to Multinomial logit regression intercepts

Description

prob_to_int transforms a set of state transition or categorical emission observation probabilities to the corresponding Multinomial logit regression intercepts. Note that the first category is assumed to be the reference category, hence no intercept is returned for the first state or category.

Usage

```
prob_to_int(prob_matrix)
```

Arguments

`prob_matrix` A matrix with number of states OR categories columns and number of rows to be determined by the user, with rows summing to one. For obtaining the set of Multinomial logit regression intercepts of the complete transition probability matrix `gamma` or categorical emission distribution matrix, the number of rows equals the number of states `m`.

Details

Designed to ease the specification of informative hyper-prior values for the mean intercepts of the transition probability matrix `gamma` and categorical emission distribution(s) of the multilevel hidden Markov model through the functions `prior_gamma` and `prior_emiss_cat`. No check is performed on correct specifications of the dimensions.

Value

`prob_to_int` returns a matrix containing Multinomial logit regression intercepts, with the number of columns equal to (number of states or categories - 1) and the number of rows equal to the number rows specified in the input matrix. The first state / category is assumed to be the reference category, hence no intercept is returned for this first category.

See Also

`int_to_prob` for transforming a set of Multinomial logit regression intercepts to a probabilities, `prior_gamma` and `prior_emiss_cat` for specifying informative hyper-priors for the the multilevel hidden Markov model and `mHMM` to fit a multilevel hidden Markov model.

Examples

```
# example for transition probability matrix gamma with 3 states
m <- 3
gamma_prob <- matrix(c(0.6, 0.2, 0.2,
                      0.1, 0.8, 0.1,
                      0.1, 0.1, 0.8), ncol = m, nrow = m, byrow = TRUE)
gamma_int <- prob_to_int(gamma_prob)
gamma_int
```

 sim_mHMM

Simulate data using a multilevel hidden Markov model

Description

`sim_mHMM` simulates data for multiple subjects, for which the data have categorical observations that follow a hidden Markov model (HMM) with a multilevel structure. The multilevel structure implies that each subject is allowed to have its own set of parameters, and that the parameters at the subject level (level 1) are tied together by a population distribution at level 2 for each of the

corresponding parameters. The shape of the population distribution for each of the parameters is a normal distribution. In addition to (natural and/or unexplained) heterogeneity between subjects, the subjects parameters can also depend on a covariate.

Usage

```
sim_mHMM(
  n_t,
  n,
  gen,
  gamma,
  emiss_distr,
  start_state = NULL,
  xx_vec = NULL,
  beta = NULL,
  var_gamma = 0.1,
  var_emiss = NULL,
  return_ind_par = FALSE,
  m,
  n_dep,
  q_emiss
)
```

Arguments

n_t	Numeric vector with length 1 denoting the length of the observed sequence to be simulated for each subject. To only simulate subject specific transition probability matrices gamma and emission distributions (and no data), set t to 0.
n	Numeric vector with length 1 denoting the number of subjects for which data is simulated.
gen	List containing the following elements denoting the general model properties: <ul style="list-style-type: none"> • m: numeric vector with length 1 denoting the number of hidden states • n_dep: numeric vector with length 1 denoting the number of dependent variables • q_emiss: numeric vector with length n_dep denoting the number of observed categories for the categorical emission distribution for each of the dependent variables.
gamma	A matrix with m rows and m columns containing the average population transition probability matrix used for simulating the data. That is, the probability to switch from hidden state <i>i</i> (row <i>i</i>) to hidden state <i>j</i> (column <i>j</i>).
emiss_distr	A list with n_dep elements containing the average population emission distribution(s) of the observations given the hidden states for each of the dependent variables. Each element is a matrix with m rows and q_emiss[k] columns for each of the k in n_dep emission distribution(s). That is, the probability of observing category <i>q</i> (column <i>q</i>) in state <i>i</i> (row <i>i</i>).
start_state	Optional numeric vector with length 1 denoting in which state the simulated state sequence should start. If left unspecified, the simulated state for time point

1 is sampled from the initial state distribution (which is derived from the transition probability matrix gamma).

- `xx_vec` List of $1 + n_{\text{dep}}$ vectors containing the covariate(s) to predict the transition probability matrix gamma and/or (specific) emission distribution(s) `emiss_distr` using the regression parameters specified in `beta` (see below). The first element in the list `xx_vec` is used to predict the transition matrix. Subsequent elements in the list are used to predict the emission distribution of (each of) the dependent variable(s). This means that the covariate used to predict gamma and `emiss_distr` can either be the same covariate, different covariates, or a covariate for certain elements and none for the other. At this point, it is only possible to use one covariate for both gamma and `emiss_distr`. For all elements in the list, the number of observations in the vectors should be equal to the number of subjects to be simulated n . If `xx_vec` is omitted completely, `xx_vec` defaults to NULL, resembling no covariates at all. Specific elements in the list can also be left empty (i.e., set to NULL) to signify that either the transition probability matrix or (one of) the emission distribution(s) is not predicted by covariates.
- `beta` List of $1 + n_{\text{dep}}$ matrices containing the regression parameters to predict gamma and/or `emiss_distr` in combination with `xx_vec` using (Multinomial logistic) regression. The first matrix is used to predict the transition probability matrix gamma. The subsequent matrices are used to predict the emission distribution(s) `emiss_distr` of the dependent variable(s). For gamma and categorical emission distributions, one regression parameter is specified for each element in gamma and `emiss_distr`, with the following exception. The first element in each row of gamma and/or `emiss_distr` is used as reference category in the Multinomial logistic regression. As such, no regression parameters can be specified for these parameters. Hence, the first element in the list `beta` to predict gamma consist of a matrix with the number of rows equal to m and the number of columns equal to $m - 1$. For categorical emission distributions, the subsequent elements in the list `beta` to predict `emiss_distr` consist of a matrix with the number of rows equal to m and the number of columns equal to $q_{\text{emiss}[k]} - 1$ for each of the k in n_{dep} emission distribution(s). See *details* for more information. For continuous emission distributions, the subsequent elements in the list `beta` consist of a matrix with the number of rows equal to m and 1 column.
- Note that if `beta` is specified, `xx_vec` has to be specified as well. If `beta` is omitted completely, `beta` defaults to NULL, resembling no prediction of gamma and `emiss_distr` using covariates. One of the elements in the list can also be left empty (i.e., set to NULL) to signify that either the transition probability matrix or a specific emission distribution is not predicted by covariates.
- `var_gamma` A numeric vector with length 1 denoting the amount of variance between subjects in the transition probability matrix. Note that this value corresponds to the variance of the parameters of the Multinomial distribution (i.e., the intercepts of the regression equation of the Multinomial distribution used to sample the transition probability matrix), see details below. In addition, only one variance value can be specified for the complete transition probability matrix, hence the variance is assumed fixed across all components. The default equals 0.1, which corresponds to little variation between subjects. If one wants to simulate data from exactly the same HMM for all subjects, `var_gamma` should be set to 0.

Note that if data for only 1 subject is simulated (i.e., $n = 1$), `var_gamma` is set to 0.

<code>var_emiss</code>	A numeric vector with length <code>n_dep</code> denoting the amount of variance between subjects in the emission distribution(s). Note that this value corresponds to the variance of the parameters of the Multinomial distribution (i.e., the intercepts of the regression equation of the Multinomial distribution used to sample the components of the emission distribution), see details below. Only one variance value can be specified each emission distribution, hence the variance is assumed fixed across states and across categories within a state. The default equals 0.1, which corresponds to little variation between subjects given categorical observations. If one wants to simulate data from exactly the same HMM for all subjects, <code>var_emiss</code> should be set to a vector of 0's. Note that if data for only 1 subject is simulated (i.e., $n = 1$), <code>var_emiss</code> is set to a vector of 0's.
<code>return_ind_par</code>	A logical scalar. Should the subject specific transition probability matrix <code>gamma</code> and emission probability matrix <code>emiss_distr</code> be returned by the function (<code>return_ind_par = TRUE</code>) or not (<code>return_ind_par = FALSE</code>). The default equals <code>return_ind_par = FALSE</code> .
<code>m</code>	The argument <code>m</code> is deprecated; please specify using the input parameter <code>gen</code> .
<code>n_dep</code>	The argument <code>n_dep</code> is deprecated; please specify using the input parameter <code>n_dep</code> .
<code>q_emiss</code>	The argument <code>q_emiss</code> is deprecated; please specify using the input parameter <code>q_emiss</code> .

Details

In simulating the data, having a multilevel structure means that the parameters for each subject are sampled from the population level distribution of the corresponding parameter. The user specifies the population distribution for each parameter: the average population transition probability matrix and its variance, and the average population emission distribution and its variance. For now, the variance of the mean population parameters is assumed fixed for all components of the transition probability matrix and for all components of the emission distribution.

One can simulate multivariate data. That is, the hidden states depend on more than 1 observed variable simultaneously. The distributions of multiple dependent variables for multivariate data are assumed to be independent.

Note: the subject specific initial state distributions (i.e., the probability of each of the states at the first time point) needed to simulate the data are obtained from the stationary distributions of the subject specific transition probability matrices `gamma`.

`beta`: As the first element in each row of `gamma` is used as reference category in the Multinomial logistic regression, the first matrix in the list `beta` used to predict transition probability matrix `gamma` has a number of rows equal to `m` and the number of columns equal to `m - 1`. The first element in the first row corresponds to the probability of switching from state one to state two. The second element in the first row corresponds to the probability of switching from state one to state three, and so on. The last element in the first row corresponds to the probability of switching from state one to the last state. The same principle holds for the second matrix in the list `beta` used to predict categorical emission distribution(s) `emiss_distr`: the first element in the first row corresponds to the probability of observing category two in state one. The second element in the first row


```

xx_vec      <- rep(list(NULL),2)
xx_vec[[1]] <- c(rep(0,5), rep(1,5))
data2 <- sim_mHMM(n_t = n_t, n = n, gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                 gamma = gamma, emiss_distr = emiss_distr, beta = beta, xx_vec = xx_vec,
                 var_gamma = 1, var_emiss = 1)

# simulating subject specific transition probability matrices and emission distributions only
n_t <- 0
n <- 5
m <- 3
n_dep <- 1
q_emiss <- 4
gamma <- matrix(c(0.8, 0.1, 0.1,
                 0.2, 0.7, 0.1,
                 0.2, 0.2, 0.6), ncol = m, byrow = TRUE)
emiss_distr <- list(matrix(c(0.5, 0.5, 0.0, 0.0,
                          0.1, 0.1, 0.8, 0.0,
                          0.0, 0.0, 0.1, 0.9), nrow = m, ncol = q_emiss, byrow = TRUE))
data3 <- sim_mHMM(n_t = n_t, n = n, gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                 gamma = gamma, emiss_distr = emiss_distr, var_gamma = 1, var_emiss = 1)
data3

data4 <- sim_mHMM(n_t = n_t, n = n, gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
                 gamma = gamma, emiss_distr = emiss_distr, var_gamma = .5, var_emiss = .5)
data4

```

vit_mHMM

Obtain hidden state sequence for each subject using the Viterbi algorithm

Description

vit_mHMM obtains the most likely state sequence (for each subject) from an object of class mHMM (generated by the function mHMM()), using (an extended version of) the Viterbi algorithm. This is also known as global decoding.

Usage

```
vit_mHMM(object, s_data, burn_in = NULL)
```

Arguments

object	An object of class mHMM, generated by the function mHMM .
s_data	A matrix containing the observations to be modeled, where the rows represent the observations over time. In s_data, the first column indicates subject id number. Hence, the id number is repeated over rows equal to the number of observations for that subject. The subsequent columns contain the dependent variable(s). Note that the dependent variables have to be numeric, i.e., they

cannot be a (set of) factor variable(s). The total number of rows are equal to the sum over the number of observations of each subject, and the number of columns are equal to the number of dependent variables ($n_{\text{dep}} + 1$). The number of observations can vary over subjects.

`burn_in` The number of iterations to be discarded from the MCMC algorithm when inferring the transition probability matrix γ and the emission distribution of (each of) the dependent variable(s) for each subject from `s_data`. If omitted, defaults to NULL and `burn_in` specified at the function `mHMM` will be used.

Details

Note that local decoding is also possible, by inferring the most frequent state at each point in time for each subject from the sampled state path at each iteration of the MCMC algorithm. This information is contained in the output object `return_path` of the function `mHMM()`.

Value

The function `vit_mHMM` returns a matrix containing the most likely state at each point in time. Each column represents a subject, and each row represents a point in time. If sequence lengths differ over subjects, states for none existing time points for subjects are filled with NA.

References

Viterbi A (1967). “Error bounds for convolutional codes and an asymptotically optimum decoding algorithm.” *IEEE transactions on Information Theory*, **13**(2), 260–269.

Rabiner LR (1989). “A tutorial on hidden Markov models and selected applications in speech recognition.” *Proceedings of the IEEE*, **77**(2), 257–286.

See Also

[mHMM](#) for analyzing multilevel hidden Markov data and obtaining the input needed for `vit_mHMM`, and [sim_mHMM](#) for simulating multilevel hidden Markov data.

Examples

```
##### Example on package example data, see ?nonverbal
# First fit the multilevel HMM on the example data

# specifying general model properties:
m <- 2
n_dep <- 4
q_emiss <- c(3, 2, 3, 2)

# specifying starting values
start_TM <- diag(.8, m)
start_TM[lower.tri(start_TM) | upper.tri(start_TM)] <- .2
start_EM <- list(matrix(c(0.05, 0.90, 0.05, 0.90, 0.05, 0.05), byrow = TRUE,
  nrow = m, ncol = q_emiss[1]), # vocalizing patient
  matrix(c(0.1, 0.9, 0.1, 0.9), byrow = TRUE, nrow = m,
  ncol = q_emiss[2]), # looking patient
```

```

matrix(c(0.90, 0.05, 0.05, 0.05, 0.90, 0.05), byrow = TRUE,
      nrow = m, ncol = q_emiss[3]), # vocalizing therapist
matrix(c(0.1, 0.9, 0.1, 0.9), byrow = TRUE, nrow = m,
      ncol = q_emiss[4])) # looking therapist

# Fit the multilevel HMM model:
# Note that for reasons of running time, J is set at a ridiculous low value.
# One would typically use a number of iterations J of at least 1000,
# and a burn_in of 200.
out_2st <- mHMM(s_data = nonverbal, gen = list(m = m, n_dep = n_dep,
      q_emiss = q_emiss), start_val = c(list(start_TM), start_EM),
      mcmc = list(J = 3, burn_in = 1))

##### obtain the most likely state sequence with the Viterbi algorithm
states <- vit_mHMM(s_data = nonverbal, object = out_2st)

##### Example on simulated data
# Simulate data for 10 subjects with each 100 observations:
n_t <- 100
n <- 10
m <- 2
n_dep <- 1
q_emiss <- 3
gamma <- matrix(c(0.8, 0.2,
      0.3, 0.7), ncol = m, byrow = TRUE)
emiss_distr <- list(matrix(c(0.5, 0.5, 0.0,
      0.1, 0.1, 0.8), nrow = m, ncol = q_emiss, byrow = TRUE))
data1 <- sim_mHMM(n_t = n_t, n = n, gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
      gamma = gamma, emiss_distr = emiss_distr, var_gamma = .5, var_emiss = .5)

# Fit the model on the simulated data:
# Note that for reasons of running time, J is set at a ridiculous low value.
# One would typically use a number of iterations J of at least 1000,
# and a burn_in of 200.
out_2st_sim <- mHMM(s_data = data1$obs,
      gen = list(m = m, n_dep = n_dep, q_emiss = q_emiss),
      start_val = c(list(gamma), emiss_distr),
      mcmc = list(J = 11, burn_in = 5))

##### obtain the most likely state sequence with the Viterbi algorithm
states <- vit_mHMM(s_data = data1$obs, object = out_2st_sim)

```

Index

* datasets

nonverbal, 10
nonverbal_cov, 11

alluvial, 23

int_to_prob, 2, 26, 30, 33

mHMM, 3, 3, 10, 12–14, 21–23, 27, 31, 33, 37–39
mHMMbayes, 4, 9

nonverbal, 10
nonverbal_cov, 11

obtain_emiss, 8, 12
obtain_gamma, 8, 13, 23

par, 22
pd_RW_emiss_cat, 5, 15
pd_RW_gamma, 5, 18
plot.mHMM, 8, 20
plot.mHMM_gamma, 14, 23
prior_emiss_cat, 3, 5, 24, 31, 33
prior_gamma, 3, 5, 27, 29, 33
prob_to_int, 3, 26, 27, 30, 31, 32

sim_mHMM, 8, 10, 33, 39

vit_mHMM, 8, 10, 38