

Package ‘predictoR’

April 12, 2021

Title Predictive Data Analysis System

Type Package

Version 1.1.9

Maintainer Oldemar Rodriguez <oldemar.rodriguez@ucr.ac.cr>

Depends R (>= 4.0)

Imports shiny (>= 1.2.0), shinyAce (>= 0.3.3), shinydashboardPlus (>= 2.0.0), shinyWidgets (>= 0.4.4), shinyjs (>= 1.0), flexdashboard (>= 0.5.1.1), tidyverse (>= 1.2.1), neuralnet (>= 1.44.2), rpart (>= 4.1-13), rattle (>= 5.2.0), xgboost (>= 0.81.0.1), adabag (>= 2.0-5), colourpicker (>= 1.0), DT (>= 0.5), randomForest (>= 4.6-14), e1071 (>= 1.7-0.1), kkn (>= 1.3.1), glmnet (>= 2.0-16), ROCR (>= 1.0-7), plyr (>= 1.8.4)

Suggests corplot, zip, farver

Description Perform a supervised data analysis on a database through a 'shiny' graphical interface. It includes methods such as K-Nearest Neighbors, Decision Trees, ADA Boosting, Extreme Gradient Boosting, Random Forest, Neural Networks, Deep Learning, Support Vector Machines and Bayesian Methods.

License GPL (>= 2)

Encoding UTF-8

URL <https://www.promidat.com>

RoxygenNote 7.1.1

NeedsCompilation no

Author Oldemar Rodriguez [aut, cre],
Andrés Navarro [ctb, prg],
Diego Jiménez [ctb, prg],
Joseline Quirós [ctb, prg]

Repository CRAN

Date/Publication 2021-04-12 17:10:02 UTC

R topics documented:

init_predictor 2

init_predictor	<i>This function will start predictoR</i>
----------------	---

Description

An interactive 'Shiny' application for data prediction.

Usage

```
init_predictor()
```

Details

Start predictoR

This starts the predictoR application on the user's local computer.

Value

Nothing

Examples

```
if(interactive()){  
  init_predictor()  
}
```

Index

* **predictoR**

init_predictor, 2

init_predictor, 2