

Package ‘wesanderson’

April 20, 2018

Title A Wes Anderson Palette Generator

Description Palettes generated mostly from 'Wes Anderson' movies.

Date 2018-03-29

Version 0.3.6

Depends R (>= 3.0)

License MIT + file LICENSE

LazyData true

Suggests ggplot2

URL <https://github.com/karthik/wesanderson>

BugReports <https://github.com/karthik/wesanderson/issues>

RoxygenNote 6.0.1

NeedsCompilation no

Author Karthik Ram [aut, cre] (<<https://orcid.org/0000-0002-0233-1757>>),
Hadley Wickham [aut],
Clark Richards [ctb],
Aaron Baggett [ctb]

Maintainer Karthik Ram <karthik.ram@gmail.com>

Repository CRAN

Date/Publication 2018-04-20 04:11:42 UTC

R topics documented:

heatmap	2
wesanderson	2
wes_palette	2
wes_palettes	3

Index	4
--------------	----------

heatmap *heatmap*

Description

A heatmap example

Usage

heatmap

Format

An object of class `data.frame` with 144 rows and 5 columns.

wesanderson *wesanderson*

Description

list of palettes from Wes Anderson movies

Details

list of palettes from Wes Anderson movies

wes_palette *A Wes Anderson palette generator*

Description

These are a handful of color palettes from Wes Anderson movies.

Usage

```
wes_palette(name, n, type = c("discrete", "continuous"))
```

Arguments

name	Name of desired palette. Choices are: BottleRocket1, BottleRocket2, Rushmore1, Royal1, Royal2, Zissou1, Darjeeling1, Darjeeling2, Chevalier1, FantasticFox1, Moonrise1, Moonrise2, Moonrise3, Cavalcanti1, GrandBudapest1, GrandBudapest2, IsleofDogs1, IsleofDogs2
n	Number of colors desired. Unfortunately most palettes now only have 4 or 5 colors. But hopefully we'll add more palettes soon. All color schemes are derived from the most excellent Tumblr blog: Wes Anderson Palettes . If omitted, uses all colours.
type	Either "continuous" or "discrete". Use continuous if you want to automatically interpolate between colours. @importFrom graphics rgb rect par image text

Value

A vector of colours.

Examples

```
wes_palette("Royal1")
wes_palette("GrandBudapest1")
wes_palette("Cavalcanti1")
wes_palette("Cavalcanti1", 3)

# If you need more colours than normally found in a palette, you
# can use a continuous palette to interpolate between existing
# colours
pal <- wes_palette(21, name = "Zissou1", type = "continuous")
image(volcano, col = pal)
```

wes_palettes *Complete list of palettes*

Description

Use [wes_palette](#) to construct palettes of desired length.

Usage

```
wes_palettes
```

Format

An object of class list of length 19.

Index

*Topic **colors**

wes_palette, [2](#)

*Topic **datasets**

heatmap, [2](#)

wes_palettes, [3](#)

heatmap, [2](#)

wes_palette, [2](#), [3](#)

wes_palettes, [3](#)

wesanderson, [2](#)

wesanderson-package (wesanderson), [2](#)